



AIR TOOLS / CORDLESS TOOLS & ACCESSORIES



Air Powered Impact Wrenches



Cordless Tools



Air Powered Die Grinders



Air Powered Impact Ratchets



Air Powered Surface Preparation Tools



Hammering and Cutting Tools



Air Tools / Cordless Tools Accessories

Tire and Wheel Service Solutions

Prema Canada is one of the largest distributors of tire and wheel service supplies and is a market leader in delivering a total supply solution to the tire industry in Canada. Founded in 1954 as Loomis Root Canada Ltd, the company has evolved from a small, regional automotive and retread supply distributor into a focused network of independent tire and wheel service supply Distributors servicing the entire country from coast to coast.

**Wherever You Are
Coast to Coast**



ALBERTA 8

- Northern 2
- Edmonton 2
- Central 2
- Calgary 1
- Southern Alberta 1

ONTARIO 17

- North Western 1
- North Eastern 1
- South Western 3
- Central 8
- Eastern 4

QUEBEC 6

- Northern 1
- Gatineau 1
- Montreal 1
- Southshore 1
- Quebec City 2

SASKATCHEWAN 4

- Northern 2
- Southern 2

BRITISH COLUMBIA 11

- Northern 3
- Vancouver Island 2
- Lower Mainland 2
- Interior 4

ATLANTIC CANADA 5

- New Brunswick 1
- Nova Scotia and PEI 2
- Newfoundland 2

MANITOBA 4


- West 1
- East 3

TABLE OF CONTENTS

	<i>Page</i>
3110 — Air Powered Impact Wrenches	31-2
3120 — Cordless Tools	31-6
3140 — Air Powered Die Grinders	31-11
3150 — Air Powered Impact Ratchets	31-12
3160 — Air Powered Surface Preparation Tools	31-13
3180 — Hammering and Cutting Tools	31-14
3190 — Air Tools / Cordless Tools Accessories	31-15



PREMA
**Tire and Wheel
Service Solutions**



3110-15 — 3/8" Drive Impact Wrenches

Code	Description
IR-15QMAX	3/8" Quiet Ultra Compact Impact Wrench • Twin Hammer Design • Composite Housing • 380 Ft-Lb Maximum Torque • 475 Ft-Lb Nut-Busting Torque • Variable Speed • 2.4 Lbs • Use Primarily for Engine Work in Tight Spaces
IR-2115TIMAX (Quiet Technology)	3/8" Square Drive Titanium Air Impact Wrench • 300 Ft-Lb Max Power in Reverse • Less Than 6" Long • Weighs Under 2.5 Lbs • 7-Vane Motor Delivers More Power • Optimized Air Flow Ensures Maximum Performance • Feather-Touch Trigger Enables Impressive Control • Four-Position Power Regulator Dial for Max Control • One-Hand Forward / Reverse for Easy Operation • Free 2 Year Limited Warranty With Tool Registration
IR-2115TIMAX	

3110-20 — 1/2" Drive Impact Wrenches *cont'd on next page*

Code	Description
AIR-1250-K	Nitrocot 1/2" Drive Twin Clutch Impact Wrench • 1300 Ft-Lb Loosening Torque • Durable Kevlar™ Reinforced "Body Armor" Housing • Ergonomically Designed Handle • Quiet Tuned Exhaust (86 dBA) • Easy Operation Flip Lever Forward and Reverse
AIR-1431	1/2" Impact Wrench • 800 Ft-Lb Maximum Torque • Twin Hammer Mechanism Delivers Maximum Power • Ergonomically Designed Grip • Cross Bolt Forward / Reverse and Power Management Control • Triple Heat Treated Ni-Cr-Mo Alloy Steel Hammer Mechanism Parts and Anvil
CP-749	Chicago Pneumatic 1/2" Super Duty Impact Wrench With Ring Socket Retainer • 610 Ft-Lb Max Torque in Reverse • Patented Clutch • One-Handed Reverse Button With 4 Power Settings • Compact Design With Comfortable Contoured Handle
CP-749-2 (2" Extended Anvil)	
CP-749K (Kit)	Kit Includes: CP749 1/2" Impact Wrench, Carry Case, 120 ml Air Tool Oil and 5 (Five) 1/2" Drive Impact Sockets: 1/2" (14 mm), 5/8" (16 mm), 3/4" (17 mm), 7/8" (19 mm) and 15/16" (22 mm)
CP-7732	Chicago Pneumatic 1/2" Ultra Compact Impact Wrench Offers Best Power to Weight Ratio: 450 Ft-Lb / 610 Nm • Steel Front Cover and Aluminum Body • One Hand Operation Forward / Reverse by Either Left or Right Handed Users • 3 Setting Positions • Only 4.4" Long • Jumbo Hammer
CP-7748	Chicago Pneumatic 1/2" Drive Brute Impact Wrench • Maximum Torque of 922 Ft-Lb • 3 Power Settings • Lightweight Composite Housing • Durable Twin Hammer Clutch • 360° Swivel Air Inlet • One-Handed Forward / Reverse
CP-7748-2 (2" Extended Anvil)	
CP-7749	Chicago Pneumatic 1/2" Drive Impact Wrench • 725 Ft-Lb Ultimate Torque in Reverse • Twin Hammer Clutch • Lightweight Composite Handle • Ergonomic Trigger • Free Speed 9000 RPM • Working Torque 75 - 580 Ft-Lb
CP-7749-2 (2" Extended Anvil)	

3110-20 — 1/2" Drive Impact Wrenches *cont'd from previous page*

Code	Description
AIR-1431-2	1/2" Impact Wrench With 2" Extended Anvil • 800 Ft-Lb Maximum Torque • 1000 Ft-Lb Loosening Torque • Twin Hammer Mechanism Delivers Maximum Power • Ergonomically Designed Grip • Cross Bolt Forward / Reverse and Power Management Control • Triple Heat Treated Ni-Cr-Mo Alloy Steel Hammer Mechanism Parts and Anvil
AIR-1991	1" Straight Impact Wrench With 6" Extended Anvil • 2100 Ft-Lb Maximum Torque • 2300 Ft-Lb Loosening Torque • Exhaust Can Be Located at the Top or Bottom of Tool • Rubber Handle Grips and Rubberized Trigger Inserts for Ultimate Comfort • Combined Friction-Ring and Through-Hole Socket Retainers
IR-2135QTL-2	780 Ft-Lb Maximum Reverse Torque to Get Lugs Off Quickly — Limits Forward Torque to 75 Ft-Lb to Avoid Stress on the Wheel Studs and Overtightening • Target Torque Reached in 2-3 Seconds • Quiet • Weighs 14.3 Lbs • Finely Tuned Impact Mechanism and Motor Bleeds Air Instead of Delivering a Glancing Blow
IR-2135QXPA-2	Ingersoll Rand 1/2" Quiet Impact Tool With 2" Extended Anvil • 780 Ft-Lb of Max Reverse Torque • 1100 Ft-Lb of Nut-Busting Torque • Featuring Ingersoll Rand's Finely Tuned Motor and Twin-Hammer Impact Mechanism • Only 4 Pounds
IR-2235QTI2MX (Quiet Technology • 2" Extended Anvil)	Ingersoll Rand 1/2" Lightweight Balanced Air Impact Wrench • 930 Ft-Lb Nut-Busting Torque • Weighs Just 4.6 Lbs • Titanium Hammer Case • Impact and Chemical Resistant Housing • Optimized for the Vehicle Repair Industry, Heavy Trucks, Tire Lanes, Fleet Maintenance, Body Shops, General Industrial Use • 2 Year Warranty
IR-2235QTIMAX (Quiet Technology)	
IR-2235TI2MAX	IR-2235QTI2MX and the IR-2235QTIMAX Feature Patented Quiet Tool Technology
IR-2235TIMAX (2" Extended Anvil)	
IR-231C	1/2" Super Duty Impact Wrench • Pressure Fed Lubrication System • Front Exhaust Ports • Ergonomic Handle • Adjustable Power Regulation • Max Torque 600 Ft-Lb • Working Torque 25-300 Ft-Lb • Free Speed 8000 RPM
IR-231HA	1/2" Super Duty Impact Wrench • Pressure Fed Lubrication System • Handle Exhaust Directs Air Away From User • Adjustable Power Regulation • Max Torque 590 Ft-Lb • Working Torque 25-300 Ft-Lb • Free Speed 8000 RPM
IR-231HA-2 (2" Extended Anvil)	
IR-231TL-2	1/2" Torque Limiting Impact Wrench With 2" Extension • Colour Red • Forward Torque 35 to 55 Ft-Lb • Reverse Torque of 350 Ft-Lb • Aluminum Body
IR-232TGSL	Ingersoll Rand 1/2" Drive Thunder Gun Street Legal Impact Wrench • Extremely Fast • The Closest You Can Get to the Actual Impact Wrench Used by Nascar Pro Pit Crews • 10000 RPM • 625 Ft-Lb Maximum Torque
IR-35MAX	Ingersoll Rand 1/2" Ultra-Compact Impact Wrench • Weight 2.4 Lbs • Maximum Reverse Torque 450 FT-LB • 2 Year Warranty • One-Handed Forward / Reverse Push Button • 3 Mode Power Regulator • 3 Regulation Settings in Forward



AIR-1431-2



AIR-1991



IR-2135QTL-2



IR-2135QXPA-2



IR-2235QTI2MX




IR-232TGSL



IR-35MAX



IR-231HA-2



3110-21 — Protector Covers — 1/2" Impact Wrench



Code	Description
CA-155537	PVC Cushion Coat Protector Cover for CP-749 Tools
IR-2135TI-P32	Protective Cover for the Full IR-2135TIMAX Series
IR-2235TI-P32	Protective Cover for the Full IR-2235TIMAX Series
IR-231HA-P32	Protective Cover for IR-231HA or IR-231HA-2
IR-232TGSLP32	Protective Cover for IR-232TGSL
IR-244-BOOT	Protective Cover for IR-244 Series

3110-25 — 3/4" Drive Impact Wrenches




Code	Description
CP-772H	3/4" Heavy Duty Impact Wrench With Ring Retainer • 1000 Ft-Lb Max Torque In Reverse • Dyna-Pact Oil Bath Clutch • Single Handed Reverse Button With 4 Settings of Power • Comfortable Handle Grip • 360° Air Inlet Swivel • High Torque • Fast Run Down
CP-7762	3/4" Stubby Impact Wrench • 1050 Ft-Lb Max Torque In Reverse • Weight 6.6 Lbs • Rugged Steel Motor Delivers a Powerful 1050 FT-LB in Reverse • Twin Hammer Action • Aluminum Housing
CP-7763-6	Chicago Pneumatic 3/4" Drive Ultimate Torque Impact Wrench With 6" Extension • 1200 Ft-Lb Ultimate Torque • Free Speed 6300 RPM • 850 Blows Per Minute • Compact Size • Forward / Reverse Control • Twin Hammer Clutch • Handle Exhaust
IR-2145QIMAX	
IR-2145QIMX-3 (3" Extended Anvil)	Ingersoll Rand 3/4" Drive Quiet Heavy Duty Impact Wrench • Only 7.4 Lbs • 1350 Ft-Lb Maximum Reverse Torque • Built to Last in Rugged Conditions • Provides Access in Tight Spaces
IR-2145QIMX-6 (6" Extended Anvil)	
IR-261	
IR-261-3 (3" Extended Anvil)	Ingersoll Rand 3/4" Impact Gun • Jumbo Hammer Mechanism • 1200 Ft-Lb of Maximum Torque • Pressure-Fed Lube System for Trouble-Free Performance and Longer Life
IR-261-6 (6" Extended Anvil)	

3110-30 — 1" Drive Impact Wrenches

Code	Description
AIR-1992	1" Drive Impact Wrench With 8" Extended Anvil • 1800 Ft-Lb Maximum Torque • Twin Hammer • Combined Reverse and Power Management Switches • Enlarged Inner Cavity of D Handle Grip Can Be Located Right-Left Side by Rotating Hammer Case • Triple Heat Treated Ni-Cr-Mo Alloy Steel Hammer Mechanism Parts and Anvil • Combined Friction Ring and Through Hole Anvil (For Positive Socket Lock-On)
CP-5000	Chicago Pneumatic 1" Drive Super Heavy Duty Impact Wrench with 7" Extended Anvil • 4 Position Regulator • Controllable Throttle • Ultimate Torque 2000 Ft-Lb
CP-7778 (1" Short Anvil)	Chicago Pneumatic Super Industrial Lightweight 1" Drive Heavy Duty Impact Wrench • Max Reverse Torque 1620 Ft-Lb • Free Speed 5000 RPM • Rocking Dog Clutch • High Efficiency 6 Vane Motor • 3 Position Power Settings in Forward and Reverse • Angled Down Exhaust • Ergonomic Handle
CP-7778-6 (6" Extended Anvil)	
CP-7778-SP6 (#5 Spline • 6" Extended Anvil)	
CP-7782	Chicago Pneumatic 1" Drive Heavy Duty Impact Wrench • Free Speed 5160 RPM • Working Torque 370-1475 Ft-Lb • Max Torque 1920 Ft-Lb • Weight 22.2 Lbs • Pinless Closed Reinforced Rocking Dog Impact Mechanism • Ergonomic Side Handle • Integrated Protective Cover on the Clutch Housing • Full Teasing Trigger • Regulator With Integrated Forward / Reverse With 3 Position Power Settings in Both Directions
CP-7782-6 (6" Extended Anvil)	
CP-7782-SP6 (#5 Spline • 6" Extended Anvil)	
CP-7782-TL6	Chicago Pneumatic 1" Torque Limited Drive Heavy Duty Impact Wrench With 6" Extended Anvil • 1 Position Torque Limited in Forward Around 370 Ft-Lb • 1920 Ft-Lb Max Torque (3 Setting Positions) • Ergonomic Handle • Full Teasing Trigger • Pinless Closed Reinforced Rocking Dog Mechanism • Rubber Bumper Protecting Both Applications and Tool • Socket Retainer Ring Combined With Hole Retainer
CP-7783 (1" Short Anvil)	Chicago Pneumatic Powerful and Lightweight Impact Wrench for Heavy Vehicle Service Applications • 1770 Ft-Lb Maximum Torque in Reverse • 18.5 Lbs • Pinless Closed Reinforced Rocking Dog Mechanism Features an Adjustable Top or Down Exhaust • Regulator Integrated in Forward / Reverse Button With 3 Power Settings in Both Directions • Four Positions for D-Handle Placement • Rubber Bumper Protecting Both Applications and Tool
CP-7783-6 (6" Extended Anvil)	
IR-2850MAX	Ingersoll Rand 1" D-Handle Impact Wrench Engineered for Big Jobs Like Semi, Bus and Tractor Tires • Solid Steel Impact Mechanism Delivers 2100 Ft-Lbs of Torque • 25% Lighter Than the Industry's Leading 1" Wrench • 360° Adjustable Handle • Swivel Hose Connection
IR-2850MAX-6 (6" Extended Anvil)	
IR-285B	Ingersoll Rand 1" Heavy Duty Impact Wrench • Steel Hammer Case and Metal Housing • Access Hard-To-Reach Spaces • Rocking Dog Mechanism • 1475 Ft-Lb of Torque • Phenolic Vanes Resist Harsh Environments • Feather-Touch Trigger • Optimized for the Vehicle Repair Industry, Heavy Trucks, Tire Lanes, and MRO • 1 Year Warranty
IR-285B-6 (6" Extended Anvil)	
IR-285B-S6 (#5 Spline • 6" Extended Anvil)	





3110-31 — Protector Covers — 1" Impact Wrench



Code	Description
IR-285-P32	Protective Cover for Ingersoll Rand 285B Series

3120 — Cordless Tools

3120-10 — 1/4" Drive Impact Wrenches



IR-W1110-K2



IR-W1120-K2



IR-W5110-K22

Code	Description
IR-W1110 (Impact Wrench Only)	IR-W1110 — 1/4" 12V Hex Quick-Change Cordless Impact Wrench Tool Only (Does Not Include Battery or Charger) • 100 Ft-Lb of Torque • Housing Resists Wear, Impact and Chemical Damage • Three-Point Pads Add Stability While Protecting Work Surfaces • All-Metal Mechanism is Robust, Durable, and Optimized For Maximum Power and Efficiency • Variable-Speed Switch With Electronic Brake Provides Maximum Control of the Tool
IR-W1110-K2 (Kit)	IR-W1110-K2 — 1/4" Hex Quick-Change Impact Wrench Kit Includes: (1) W1110 Impactool, (2) BL1203 12V Li-Ion Batteries, (1) IQ BC1110 Charger and (1) Shop Bag
IR-W1120 (Impact Wrench Only)	IR-W1120 — 1/4" 12V Square Drive Cordless Impact Wrench Tool Only (Does Not Include Battery or Charger) • 100 Ft-Lb of Torque • Housing Resists Wear, Impact and Chemical Damage • Three-Point Pads Add Stability While Protecting Work Surfaces • All-Metal Mechanism is Robust, Durable, and Optimized For Maximum Power and Efficiency • Variable-Speed Switch With Electronic Brake Provides Maximum Control of the Tool
IR-W1120-K2 (Kit)	IR-W1120-K2 — 1/4" Square Drive Impact Wrench Kit Includes (1) W1120 Impactool, (2) BL1203 12V Li-Ion Batteries, (1) IQV12 BC1110 Charger and (1) Shop Bag
IR-W5110 (Impact Wrench Only)	IR-W5110 — 1/4" 20 V Mid Torque Hex Quick-Change Cordless Impact Wrench Tool Only (Does Not Include Battery or Charger) • 165 Ft-Lb of Maximum Torque • Strong, Lightweight, Steel-Lined Aluminum Hammer Case Protects Internal Components • Patent-Pending Metal Reinforced Housing Withstands Repeated Drops • Chemical Resistant Housing Protects Against Aggressive Shop Fluid
IR-W5110-K22 (Kit)	IR-W5110-K22 — 1/4" 20 V Mid Torque Hex Quick-Change Cordless Impact Wrench Kit Includes (1) W5110 Impactool, (1) BC1121 Charger, (2) BL2012 Li-Ion Batteries, (1) IQV12 BC1110 Charger and (1) Carrying Case

3120-15 — 3/8" Drive Impact Wrenches

Code	Description
IR-W1130 (Impact Wrench Only)	IR-W1130 — 3/8" Square Drive 12V Cordless Impact Tool Only (Does Not Include Battery or Charger) • 100 Ft-Lb of Torque • Housing Resists Wear, Impact and Chemical Damage • Three-Point Pads Add Stability and Protect Work Surfaces • All-Metal Mechanism is Robust, Durable and Optimized for Maximum Power and Efficiency
IR-W1130-K2 (Kit)	IR-W1130-K2 — 3/8" Drive Cordless Impact Tool Kit Includes: (1) IR-W1130, (2) IR-BL1203 Li-Ion Batteries, (1) IR-BC1110 Charger and (1) Shop Bag
IR-W5132 (Impact Wrench Only)	IR-W5132 — 3/8" 20V Cordless Impact Tool • 50% More Torque Than the Leading 3/8" Cordless Impact Tool • Best in Class Power-to-Weight Ratio: 550 Ft-Lb of Nut Busting Torque • 365 Ft-Lb Max Torque • IQV Power Control System Includes 4 Modes: Max Power, Mid Power, Wrench Tight and Hand Tight • Patented Steel Reinforced Frame • Impact and Chemical Resistant Housing • Brushless Motor Technology Delivers More Power and Efficiency
IR-W5132-K12 (Kit)	IR-W5132-K12 — 3/8" 20V Impact Tool Kit Includes: (1) IR-W5132, (1) Battery IR-BL2022, (1) Charger IR-BC1121 and (1) Shop Bag
IR-W5132-K22 (Kit)	IR-W5132-K22 — 3/8" 20V Impact Tool Kit Includes: (1) IR-W5132, (1) Battery IR-BL2012, (1) Battery IR-BL2022, (1) Charger IR-BC1121 and (1) Shop Bag



IR-W1130-K2



IR-W5132-K22

3120-20 — 1/2" Drive Impact Wrenches *cont'd on next page*

Code	Description
CP-8848K	Chicago Pneumatic 1/2" Drive 20V Cordless Impact Wrench Kit Includes (2) Batteries, (1) Charger and a Molded Case • 1/2" Anvil With Ring Retainer • Max Torque 775 Ft-Lb in Reverse • 1900 RPM • Full Metal Gearbox • Helical Gears • Torque Reaction Part in Aluminum • 20-Volt Lithium-Ion Battery With Charge Gauge • Rubber Battery Dampeners Absorb Impacts and Shocks • Aluminum Back and Clutch Housing • Single-Hand Forward / Reverse Operation, Full Teasing Trigger and Safety Lock Position • 4 Composite Bumpers for Protection in 2 Directions
CP-8849	CP-8849 — 1/2" Square Drive Cordless Impact Wrench • Brushless Motor • 2 Shut-Off Positions • 850 Ft-Lb Maximum Torque 1400 Ft-Lb Break-Away Torque • 50 - 740 Ft-Lb Working Torque • 4 Front LED Lights • Li-Ion 4 or 6 Ah Battery • Fuel Gauge • Rubber Dampeners Absorb Impacts and Shocks • 5 Bumpers All Around the Tool — 1 In Front of the Clutch
CP-8849K-4AH	CP-8849-2 — 1/2" Square Drive Cordless Impact Wrench With 2" Extended Anvil • Same Features as CP-8849 Listed Above
CP-8849K-6AH	CP-8849K-4AH — 1/2" Square Drive Cordless Impact Wrench Kit Includes: (1) CP-8849, (2) 4 Ah Batteries, (1) Charger and (1) Storage Bag
CP-8849-2	CP-8849K-6AH — 1/2" Square Drive Cordless Impact Wrench Kit Includes: (1) CP-8849, (2) 6 Ah Batteries, (1) Charger and (1) Storage Bag
CP-88492K-4AH	CP-88492K-4AH — 1/2" Square Drive Cordless Impact Wrench Kit Includes: (1) CP-8849-2, (2) 4 Ah Batteries, (1) Charger and (1) Storage Bag
CP-88492K-6AH	CP-88492K-6AH — 1/2" Square Drive Cordless Impact Wrench Kit Includes: (1) CP-8849-2, (2) 6 Ah Batteries, (1) Charger and (1) Storage Bag



CP-8848K



CP-8849K-4AH



3120-20 — 1/2" Drive Impact Wrenches *cont'd from previous page*



IR-W5152-K22



IR-W7150-K2



IR-W7150-K22



IR-W7152-K22



IR-W7250-K1



IR-W7252-K22

Code	Description
IR-W5152	IR-W5152 — 1/2" 20V Mid Impact Cordless Tool • 50% More Torque Than the Leading 1/2" Cordless Impact Tool • Best in Class Power-to-Weight Ratio: 550 Ft-Lb of Nut Busting Torque • 365 Ft-Lb Max Torque • IQV Power Control System Includes 4 Modes: Max Power, Mid Power, Wrench Tight and Hand Tight • Patented Steel Reinforced Frame • Impact and Chemical Resistant Housing • Brushless Motor Technology Delivers More Power and Efficiency
IR-W5152-K12	IR-W5152-K12 — 1/2" 20V Mid Impact Tool Kit Includes: (1) IR-W5152, (1) Battery IR-BL2022, (1) Charger IR-BC1121 and (1) Shop Bag
IR-W5152-K22	IR-W5152-K22 — 1/2" 20V Mid Impact Tool Kit Includes: (1) IR-W5152, (1) Battery IR-BL2012, (1) Battery IR-BL2022, (1) Charger IR-BC1121 and (1) Shop Bag
IR-W7150	IR-W7150 — Ingersoll Rand 1/2" Drive 20V Cordless Impact Wrench Only (Does Not Include Battery or Charger) • 780 Ft-Lb of Maximum Reverse Torque and 1100 Ft-Lb of Nut-Busting Torque • Steel-Lined Aluminum Hammer Case • Patent Pending Soft Touch Over-Molded Grip Minimizes Vibration, Reduces Fatigue and Enhances User Comfort
IR-W7150-K1	IR-W7150-K1 — Ingersoll Rand 1/2" Drive 20V Cordless Impact Wrench Kit Includes: (1) IR-W7150, (1) Battery IR-BL2010, (1) Charger IR-BC1121 and (1) Carrying Case
IR-W7150-K2	IR-W7150-K2 — Ingersoll Rand 1/2" Drive 20V Cordless Impact Wrench Kit Includes: (1) IR-W7150, (2) Batteries IR-BL2010, (1) Charger IR-BC1121 and (1) Carrying Case
IR-W7150-K12	IR-W7150-K12 — Ingersoll Rand 1/2" Drive 20V Cordless Impact Wrench Kit Includes: (1) IR-W7150, (1) Battery IR-BL2022, (1) Charger IR-BC1121 and (1) Carrying Case
IR-W7150-K22	IR-W7150-K22 — Ingersoll Rand 1/2" Drive 20V Cordless Impact Wrench Kit Includes: (1) IR-W7150, (2) Batteries IR-BL2022, (1) Charger IR-BC1121 and (1) Carrying Case
IR-W7150-BOOT	Protective Cover for IR-W7150 Series
IR-W7152-K22	1/2" Drive Cordless 20V Impact Wrench With Standard Anvil • 1000 Ft-Lb Maximum Torque • Kit includes: (2) IR-BL2022 Batteries, Tool Charger and Carry Bag • Powerful Brushless Motor Delivers Durability and Efficiency • Variable Speed Trigger • 4 IQ Power Control System Settings
IR-W7250-K1	IR-W7250-K1 — Ingersoll Rand 1/2" Drive 20V Cordless Impact Wrench With 2" Extended Anvil Kit Includes: (1) IR-W7250, (1) Battery IR-BL2010, (1) Charger IR-BC1121 and (1) Carrying Case • 780 Ft-Lb Reverse Torque • 1100 Ft-Lb Ultimate Torque
IR-W7252-K22	1/2" Drive Cordless 20V Impact Wrench Kit • 2" Extended Anvil • Brushless Motor • IQV Intelligent Control System With 4 Modes (Full Power, Half Power, Wrench Tight and Hand Tight) • 360° Shadowless Task Light • 1000 Ft-Lb Maximum Torque • 1500 Ft-Lb Nut-Busting Torque • Kit Includes: (2) IR-BL2022 Batteries, (1) Charger and (1) Storage Bag

3120-30 — 3/8" Drive Ratchets

Code	Description
IR-R3130	IR-R3130 — 3/8" Cordless 20V Ratchet Tool Only • Reinforced Composite Housing • 54 Ft-Lb of Torque • 0-225 RPM Free Speed • Progressive Trigger for Easy Start and Precision Speed Control
IR-R3130-K12	IR-R3130-K12 — 3/8" Cordless Ratchet Tool Kit Includes: (1) IR-R3130, (1) Battery IR-BL2012, (1) Charger IR-BC1121 and (1) Carrying Case
IR-R3130-K22	IR-R3130-K22 — 3/8" Cordless Ratchet Tool Kit Includes: (1) IR-R3130, (2) Batteries IR-BL2012, (1) Charger IR-BC1121 and (1) Carrying Case



IR-R3130-K22

3120-40 — 1/2" Drive Ratchets

Code	Description
IR-R3150	IR-R3150 — 1/2" Cordless 20V Ratchet Tool Only • Reinforced Composite Housing • 54 Ft-Lb of Torque • 0-225 RPM Free Speed • Progressive Trigger for Easy Start and Precision Speed Control
IR-R3150-K12	IR-R3150-K12 — 1/2" Cordless Ratchet Tool Kit Includes: (1) IR-R3150, (1) Battery IR-BL2012, (1) Charger IR-BC1121 and (1) Carrying Case
IR-R3150-K22	IR-R3150-K22 — 1/2" Cordless Ratchet Tool Kit Includes: (1) IR-R3150, (2) Batteries IR-BL2012, (1) Charger IR-BC1121 and (1) Carrying Case



IR-R3150-K22

3120-60 — Sanders and Polishers

Code	Description
IR-G1621	IR-G1621 — Cordless IQV12 Polisher / Sander Tool Only • Multi-Purpose Surface Prep and Finish Tool • Equipped With a 2-Speed Gearbox and 2" and 3" Backing Pads • Quick-Change Spindlelock Eliminates the Need for Additional Tools
IR-G1621-K2	IR-G1621-K2 — Cordless 12V Polisher / Sander Tool Kit Includes: (1) IR-G1621, (2) Batteries IR-BL1203, Charger and Accessory Kit
IR-G1811	IR-G1811 — Cordless IQV12 Series Belt Sander Designed for the Automotive Industry • Powerful 6600 RPM and Variable Speed Lever • 3/8" X 13" Narrow Width Belt • 8-Position Adjustable Belt Arm • Hose Free Design • Patent-Pending Softmount System Reduces Vibration for Extended Motor and Switch Life • R2.0 Li-Ion Battery With Fuel Gauge • Quick-Change Lock and Release • Tough Composite Housing and Patented Steel Reinforced Frame • Ergonomic Rubber Grip
IR-G1811-K2	IR-G1811-K2 — Cordless 12V Belt Sander Kit Includes: (1) IR-G1811, (2) Batteries IR-BL1203, (1) Charger IR-BC1121 and Accessory Kit
IR-G1811-BELT	Replacement Belts for IR-G1811 Includes: (3) 60-Grit and (3) 80-Grit Belts



IR-G1621-K2



IR-G1811-K2

3120-80 — Batteries



Code	Description
IR-BL1203	Ingersoll Rand 12V 2.0 Lithium-Ion Battery Pack IQV12 Series
IR-BL2010	Ingersoll Rand 20V 3.0 Lithium-Ion Battery Pack IQV20 Series
IR-BL2012	Ingersoll Rand 12V 2.5 Lithium-Ion Battery Pack IQV20 Series
IR-BL2022	Ingersoll Rand 20V 5.0 Lithium-Ion Battery Pack IQV20 Series

3120-82 — Battery Accessories



Code	Description
IR-BC1110	Ingersoll Rand Lithium-Ion Battery Charger for IQV12 Series
IR-BC1121	Ingersoll Rand Lithium-Ion Battery Charger for IQV12 and IQV20 Series

3140-10 — Angled Die Grinders

Code	Description
CP-875	Chicago Pneumatic 1/4 HP Compact Die Grinder • 90° Angle Head Allows Flexibility in Tight Areas • Built-In Air Regulator
IR-301	Ingersoll Rand 1/4 HP Standard Duty Air Angle Die Grinder • Compact, Lightweight and Easy to Handle • Self-Locking Throttle • Ball Bearing Construction for Durability • Precision Machined Gearing Delivers Maximum Power Transfer • 1/4" Air Inlet • 3 CFM Air Consumption
IR-3445	Ingersoll Rand 0.88 HP Super Duty Angle Air Grinder • 4-1/2" Capacity • 12000 RPM Max Free Speed • Rear Exhaust • Average Air Consumption 10 CFM • Air Consumption at Load 41 CFM • Air Inlet 1/4" NPTF
SLP-3150	St Louis Pneumatic 1/4 HP Right Angle Compact Die Grinder • Rear Exhaust • 18000 RPM • Equipped With Safety Throttle Lever



3140-20 — Straight Die Grinders

Code	Description
IR-307A	Standard Duty Mini Die Grinder • Standard 1/4" Collet • Safety Lever • Front Exhaust • 1/4 HP Motor • 27000 RPM Free Speed





3150-10 — 1/4" Drive Impact Ratchets



IR-105-D2



IR-105-L2



IR-105MAX-D2

Code	Description
IR-105-D2	Ingersoll Rand 1/4" Drive Air Ratchet • 25 Ft-Lb Max Torque • 250 RPM Free Speed • Low-Profile Forward / Reverse Control • Ergonomic Coupling Nut and Handle
IR-105-L2	Ingersoll Rand 1/4" Drive Air Ratchet With Extended Head • 25 Ft-Lb Max Torque • 250 RPM Free Speed • Low-Profile Forward / Reverse Control • Ergonomic Coupling Nut and Handle
IR-1105MAX-D2	Ingersoll Rand 1/4" Drive Composite Air Ratchet • 30 Ft-Lb Max Torque • 300 RPM Free Speed • Variable Speed Regulator is Hand-Operable • Low-Profile Forward / Reverse Control • Ergonomic Coupling Nut and Composite Handle

3150-15 — 3/8" Drive Impact Ratchets



IR-107XPA



IR-109XPA



IR-2015MAX

Code	Description
IR-107XPA	Ingersoll Rand 3/8" Heavy Duty Square Drive Ratchet • 360° Exhaust • Access Hard to Reach Spaces • Variable Speed • 160 RPM • 10-45 Ft-Lb Recommended Torque Range
IR-109XPA	Ingersoll Rand 3/8" Super Duty Square Drive Ratchet • 360° Exhaust • Low Profile Forward / Reverse Control • Access Hard to Reach Spaces • 220 RPM Free Speed • 10-60 Ft-Lb Recommended Torque Range
IR-2015MAX	Ingersoll Rand 3/8" Right Angle Impact Wrench • Square Socket Retaining Ring Anvil • Feather Touch Trigger • 2 Position Forward Power Regulator • Forward / Reverse Ring • 180 Ft-Lb Maximum Torque • Free Speed 7,100 Revolutions Per Minute

3150-20 — 1/2" Drive Impact Ratchets



IR-1077XPA



IR-2025MAX

Code	Description
IR-1077XPA	Ingersoll Rand 1/2" Heavy Duty Ratchet • 360° Exhaust • Access Hard to Reach Spaces • Variable Speed • 160 RPM • 10-45 Ft-Lb Recommended Torque Range
IR-2025MAX	Ingersoll Rand 1/2" Drive Hammerhead Low-Profile Impact Tool • Max Torque 180 Ft-Lb • Max Speed 9000 RPM • Feather Touch Trigger • 2 Position Forward Power Regulator

3160-10 — Polishers

Code	Description
IR-314A	Ingersoll Rand Heavy Duty 7" Air Angle Polisher / Buffer • Long Life Ball Bearing Construction • Dead Handle and Spindle for Easy Handling • Built In Regulator • Up to 2500 RPM in Free Speed



IR-314A

3160-20 — Sanders



IR-3128K



IR-313A



IR-317A

Code	Description
IR-3128K	Ingersoll Rand Mini Random Orbital Sander Kit • Lightweight, Pistol Grip Design With Thumb Actuated Switch Engineered for Balance and One-Handed Operation • Variable Speed Trigger • Kit Includes 71 Piece Hook and Loop Discs • 15000 RPM • 0.2 HP
IR-313A	Heavy Duty High Resistance Angle Pneumatic Sander • 7" Pad • Up to 5000 RPM Free Speed • Ball Bearing Construction for Longer Tool Life
IR-317A	Heavy Duty High Speed Pneumatic Sander • 5" Pad • Economical Sander Ideal for Light Sanding, Edging and Rust Removal • Easy to Handle, Compact and Light • Built-in Power Regulator • 18000 RPM Engine • 0.45 HP

3160-30 — Scalers

Code	Description
IR-125	Ingersoll Rand Standard Duty Needle Scaler Includes 19 Needles — Each With a Diameter of 1/8" • Ideal for Surface Preparation Work Involving Cleaning and Removing Paint, Rust, Dirt or Weld Slag • A Durable, Dependable and Economic Option
PF2219-22-19	Replacement Needles for IR-125 Standard Duty Needle Scaler



IR-125



PF2219-22-19

3180-10 — Air Hammers



Code	Description
CP-717K	Chicago Pneumatic Heavy Duty Pistol Grip Air Hammer Kit Includes CP717 Air Hammer Plus a 4 Piece Chisel Set Packed in a Heavy Duty Carrying Case • Air Hammer Features a Positive Action Trigger for Precise Control, Chisel Shank Opening .498", Bore Diameter 3/4", Piston Stroke Length 2-11/16", CFM 7, Hose Size 3/8", and Blows Per Minute 1800
IR-117K	Ingersoll Rand Air Hammer Kit Includes IR-117 Air Hammer and 5 Assorted Chisels — (1) Punch Chisel, (1) Edging Tool, (1) Tail Pipe Cutter, (1) 3/4" Wide Blade Straight Chisel, and (1) Cutting Chisel • Air Hammer Features Up to 2,000 Blows Per Minute, Alloyed Steel Barrel and Heat-Treated Piston for Longer Life, Built-In Power Regulator and Trigger Control

3180-20 — Chisel Heads and Retainers



Code	Description
CH1001	Quick Change Chisel Retainer Threaded to Fit a Variety of Pneumatic Hammer Models • Positive Lock Sliding Collar Prevents the Chisel From Separating From the Hammer • Designed for Use With "Turn" or "Non-Turn" Type Shanks • Red Colored Threads • One Year Limited Warranty • Fits Chicago Pneumatic All .401 Except CP716CLECO E3 E4 E15 E16, Dayton All Models, Ingersoll-Rand 115 116 117, and Matco All Models
CS110	10 Piece General Service Chisel Set • Contains the Most Popular .401 Shank Chisels to Handle a Wide Variety of Jobs • Molded Storage Tray
IR-9500	5 Piece Edge Series™ 7" Hammer Chisel Set Made of High Quality Steel • Includes Tapered Punch, Flat Chisel, Panel Cutter, Sheet Metal Cutter and Spot Weld Breaker

3180-30 — Air Saws



Code	Description
IR-429	Ingersoll Rand Reciprocating Saw • Versatile Air Saw for Cutting Intricate Shapes and Light Radius Curves in All Types of Plastics, Fiberglass Aluminum, Sheet Metal and Composite Materials • Reduced Vibration is Excellent for Body Shop Repair, Muffler, Exhaust Work and Installations • Includes 6 High Speed Steel Cutting Blades and 2 Hex Wrenches • Cuts on Flat and Curved Surfaces • Durable, Long-Life Tool • 10000 Strokes Per Minutes • Average Air Consumption 8 CFM, 7 CFM at Load • 1/4" Air Inlet

3190-10 — Air Tool Oil

Code	Description
77	Rema Air Tool Oil • 16 oz
181-00085	Marvel Air Tool Oil • 32 oz
9999-1Q	Red Slip Air Tool Oil • 1 Qt
IR-50P	Ingersoll Rand Air Tool Oil • 473 mL



3190-15 — Air Tool Oil — Cold Weather

Code	Description
46-040	Killfrost Air Tool Oil • 16 oz
ATOOLICE-16OZ	Non-Freezing Air Tool Oil • 16 oz
ATOOLICEFREE	Non-Freezing Air Tool Oil • 1 L



3190-30 — Air Tool Conditioner


Code	Description
PB-ATC	Blaster Air Tool Conditioner • Cleans and Restores Pneumatic Tools • Reduces Friction • Protects Tools From Freezing Down to -25° F • 11 oz Aerosol Can



3190-50 — Care Kits

Code	Description
IR-105-LBK1	Metallic Housing Impact Wrench Care Kit Includes 10Z4 Oil, 4 Oz 105 Grease and Grease Gun
IR-115-LBK1	Composite Housing Impact Wrench Care Kit Includes 10Z4 Oil, 4 Oz 115 Grease and Grease Gun





Part # — Page	Part # — Page	Part # — Page	Part # — Page
46-040 — 31-15	CP-88492K-4AH — 31-7	IR-2135QTL-2 — 31-3	IR-W5132 — 31-7
77 — 31-15	CP-88492K-6AH — 31-7	IR-2135QXPA-2 — 31-3	IR-W5132-K12 — 31-7
181-00085 — 31-15	CS110 — 31-14	IR-2135TI-P32 — 31-4	IR-W5132-K22 — 31-7
9999-1Q — 31-15	IR-15QMAX — 31-2	IR-2145QIMAX — 31-4	IR-W5152 — 31-8
AIR-1250-K — 31-2	IR-35MAX — 31-3	IR-2145QIMX-3 — 31-4	IR-W5152-K12 — 31-8
AIR-1431 — 31-2	IR-50P — 31-15	IR-2145QIMX-6 — 31-4	IR-W5152-K22 — 31-8
AIR-1431-2 — 31-3	IR-105-D2 — 31-12	IR-2235QTI2MX — 31-3	IR-W7150 — 31-8
AIR-1991 — 31-3	IR-105-L2 — 31-12	IR-2235QTIMAX — 31-3	IR-W7150-BOOT — 31-8
AIR-1992 — 31-5	IR-105-LBK1 — 31-15	IR-2235TI2MAX — 31-3	IR-W7150-K1 — 31-8
ATOOLICE-16OZ — 31-15	IR-107XPA — 31-12	IR-2235TIMAX — 31-3	IR-W7150-K2 — 31-8
ATOOLICEFREE — 31-15	IR-109XPA — 31-12	IR-2235TI-P32 — 31-4	IR-W7150-K12 — 31-8
CA-155537 — 31-4	IR-115-LBK1 — 31-15	IR-2850MAX — 31-5	IR-W7150-K22 — 31-8
CH1001 — 31-14	IR-117K — 31-14	IR-2850MAX-6 — 31-5	IR-W7152-K22 — 31-8
CP-717K — 31-14	IR-125 — 31-13	IR-3128K — 31-13	IR-W7250-K1 — 31-8
CP-749 — 31-2	IR-231C — 31-3	IR-3445 — 31-11	IR-W7252-K22 — 31-8
CP-749-2 — 31-2	IR-231HA — 31-3	IR-9500 — 31-14	PB-ATC — 31-15
CP-749K — 31-2	IR-231HA-2 — 31-3	IR-BC1110 — 31-10	PF2219-22-19 — 31-13
CP-772H — 31-4	IR-231HA-P32 — 31-4	IR-BC1121 — 31-10	SLP-3150 — 31-11
CP-875 — 31-11	IR-231TL-2 — 31-3	IR-BL1203 — 31-10	
CP-5000 — 31-5	IR-232TGS — 31-3	IR-BL2010 — 31-10	
CP-7732 — 31-2	IR-232TGSLP32 — 31-4	IR-BL2012 — 31-10	
CP-7748 — 31-2	IR-244-BOOT — 31-4	IR-BL2022 — 31-10	
CP-7748-2 — 31-2	IR-261 — 31-4	IR-G1621 — 31-9	
CP-7749 — 31-2	IR-261-3 — 31-4	IR-G1621-K2 — 31-9	
CP-7749-2 — 31-2	IR-261-6 — 31-4	IR-G1811 — 31-9	
CP-7762 — 31-4	IR-285B — 31-5	IR-G1811-BELT — 31-9	
CP-7763-6 — 31-4	IR-285B-6 — 31-5	IR-G1811-K2 — 31-9	
CP-7778 — 31-5	IR-285B-S6 — 31-5	IR-R3130 — 31-9	
CP-7778-6 — 31-5	IR-285-P32 — 31-6	IR-R3130-K12 — 31-9	
CP-7778-SP6 — 31-5	IR-301 — 31-11	IR-R3130-K22 — 31-9	
CP-7782 — 31-5	IR-307A — 31-11	IR-R3150 — 31-9	
CP-7782-6 — 31-5	IR-313A — 31-13	IR-R3150-K12 — 31-9	
CP-7782-SP6 — 31-5	IR-314A — 31-13	IR-R3150-K22 — 31-9	
CP-7782-TL6 — 31-5	IR-317A — 31-13	IR-W1110 — 31-6	
CP-7783 — 31-5	IR-429 — 31-14	IR-W1110-K2 — 31-6	
CP-7783-6 — 31-5	IR-1077XPA — 31-12	IR-W1120 — 31-6	
CP-8848K — 31-7	IR-1105MAX-D2 — 31-12	IR-W1120-K2 — 31-6	
CP-8849 — 31-7	IR-2015MAX — 31-12	IR-W1130 — 31-7	
CP-8849-2 — 31-7	IR-2025MAX — 31-12	IR-W1130-K2 — 31-7	
CP-8849K-4AH — 31-7	IR-2115QTIMAX — 31-2	IR-W5110 — 31-6	
CP-8849K-6AH — 31-7	IR-2115TIMAX — 31-2	IR-W5110-K22 — 31-6	

A

Air Tools

- Die Grinders
 - Angled Die Grinders: 31-11
 - Straight Die Grinders: 31-11
- Hammering and Cutting Tools
 - Air Hammers: 31-14
 - Air Saws: 31-14
 - Chisel Heads and Retainers: 31-14
- Impact Wrenches
 - Impact Wrenches: 31-2, 31-3, 31-4, 31-5
 - Protector Covers: 31-4, 31-6
- Ratchets
 - Impact Ratchets: 31-12
- Surface Preparation Tools
 - Polishers: 31-13
 - Sanders: 31-13
 - Scalers: 31-13

Air Tools / Cordless Tools Accessories

- Air Tool Oil: 31-15
- Air Tool Oil — Cold Weather: 31-15
- Care Kits: 31-15

C

Cordless Tools

- Accessories
 - Batteries: 31-10
 - Battery Accessories: 31-10
- Impact Wrenches: 31-6, 31-7, 31-8
- Ratchets: 31-9
- Sanders and Polishers: 31-9



DID YOU KNOW PREMA CARRIES A FULL LINE OF TIRE REPAIR EQUIPMENT AND SUPPLIES AND IS IN YOUR AREA?

An extensive line of brand name products, all competitively priced.

Tire Repair Materials & Chemicals

Radial Repairs
Bias Repairs
Agriculture Repairs
OTR Repairs
Tube Stems
Universal Repairs
Combi Patch/Plugs
Pre-Buff Cleaners
Vulcanizing Cements
Over-Buff Sealers
Bead Sealers

Lifting Tools

Bottle Jacks
Hydraulic Rams
Lift Pads
Floor Jacks
Jack Stands
Forklift Jacks
Garage Jacks
Bladder Jacks

Service Chemicals

Mounting Compound
Murphy's Liquid Lubricants
Brake Cleaner
Penetrants
Universal Paste
SKID
Silicone Sprays
Tire Sealant
Tire Paint
Tire Shine
Winter Lubricants

Shop Supplies & Equipment

Hand Cleaner
Tire Bags
Dunk Tanks
Work Gloves
Nitrile Gloves
Seat Gloves
Seat Covers
Tire Carts
Floor Mats

Tire Repair Tools

Brushes
Adaptors
Reamers
Probe Tools
Scrapers
Carbide Cutters
Insert Tools
Buffing Stones
Tire Spreaders

Wheel Weights & Balancing Beads

Passenger Weights
Truck Weights
3M Balancing System
Coloured Weights
Zinc Weights
Steel Weights
Magnum Balancing Beads
Counteract Balancing Beads

Wheel Balancing Tools

Adhesive Wheel Weight Remover
Wheel Weight Hammers
Haweka Flange Plates
Duo Collets
Haweka Quick Plates
Haweka Quick Nuts
Replacement Shafts
Cones

Air Tools & Accessories

IR Impact Wrenches
IR Replacement Parts
CP Impact Wrenches
CP Replacement Parts
Tool Covers
Sockets
Ratchets
3M Abrasives
Grinders
Buffers
Needle Scalers

Valves

Passenger
Truck
OTR
Air Liquid
Super Large Bore
Straight or Bent Caps & Cores
Brass or Nickel Alcoa Valves
Enki Valves
4-Way Tools
Fishing Tools
Double Seal Caps
Installation Tools
Grommets
O-Rings

Wheel Service Tools & Equipment

Bead Breakers
Torque Wrenches
Bead Blasters and Bazookas
Hydraulic Pumps
Fasteners (Nuts, Studs & Clamps)
Tire Irons & Bead Hammers
Calcium Pumps
Wheel Guards
Mount/Demount Tools
Hydraulic Rams

Gauges & Air Controls

Pencil Gauges
Master Gauges
Truck Gauges
Inflation Gauges
Calibratable Gauges
Digital Gauges
AI Liquid
Chucks
Nipples
Couplers
Bushings
Crimpers
Hoses
Ferrules
Manifolds
Whip Hoses

TPMS

EZ-Sensor
Redi-Sensor
OE Replacement
Sensors
Replacement Valves
Scan Tools (w/OBD)
Service Kits
Torque Wrenches
T-10 & T-20 Screw
Drivers
Core Tools

Retread

Envelopes
Rasps
Grinding Stones
Carbide Cutters
Hub Lube
Mold Release
Rope Rubber
Sprayers
Blades
Cement
Cushion Rubber
Poly Film
Wicking Pads
Staples

Section Repair

Vulcanizers
Cushion Rubber
Cup Cutters
Carbide Cutters
Tire Stands
HD Skivers
Hand Tools
Flex Shaft Buffers
Rope Rubber
Rasps
Grinding Stones

Miscellaneous

Tire Studs
Stud Guns
Jaw Covers
Duckheads
Plastic Inserts
Brake Lathe Bits
O-Rings
Arctic O-Rings

Your Authorized Distributor

Prema Canada

3230 Mainway - Unit 3, Burlington, ON L7M 1A5
Toll Free: 1.800.268.6311
Phone: 905.628.2303
Fax: 905.628.3646
Inquires: sales@premacanada.ca
www.premacanada.ca

Distributor contact information also available at www.premacanada.ca.