




JACKS & ACCESSORIES



Bottle Jacks



Floor Jacks



Cribbing



Jack Stands

Tire and Wheel Service Solutions

Prema Canada is one of the largest distributors of tire and wheel service supplies and is a market leader in delivering a total supply solution to the tire industry in Canada. Founded in 1954 as Loomis Root Canada Ltd, the company has evolved from a small, regional automotive and retread supply distributor into a focused network of independent tire and wheel service supply Distributors servicing the entire country from coast to coast.

www.premacanada.ca

**Wherever You Are
Coast to Coast**



ALBERTA 8

- Northern 2
- Edmonton 2
- Central 2
- Calgary 1
- Southern ALbserta 1

ONTARIO 17

- North Western 1
- North Eastern 1
- South Western 3
- Central 8
- Eastern 4

QUEBEC 6

- Northern 1
- Gatineau 1
- Montreal 1
- Southshore 1
- Quebec City 2

SASKATCHEWAN 4

- Northern 2
- Southern 2

BRITISH COLUMBIA 11

- Northern 3
- Vancouver Island 2
- Lower Mainland 2
- Interior 4

ATLANTIC CANADA 5

- New Brunswick 1
- Nova Scotia and PEI 2
- Newfoundland 2

MANITOBA 4

- West 1
- East 3

TABLE OF CONTENTS

	<i>Page</i>
5010 — Bottle Jacks	50-2
5020 — Floor Jacks	50-4
5050 — Cribbing & Jack Stands	50-10



PREMA
**Tire and Wheel
Service Solutions**

5010-25 / 5010-30 / 5010-32 — Hydraulic Bottle Jacks



Winntec Bottle Jacks Meet the Highest Standards • All Models Have a Chrome Main Ram and a Chrome Pump Piston • The Extension Screws Have a Pressed Thread • These Units Can Be Used Horizontally and Vertically

Code	Cap	Min H	Max H	Hyd Stroke	Ext Screw	L	W	Gross Wgt
GT-G411500	15 T	9.84"	19.29"	6.3"	3.15"	5.43"	5.55"	21.6 Lbs
GT-G412000	20 T	9.53"	18.58"	5.9"	3.15"	5.91"	6.26"	22.45 Lbs
GT-G412001	20 T	6.61"	11.22"	3.03"	1.57"	5.91"	6.26"	20 Lbs
GT-G413000	30 T	9.53"	18.39"	5.91"	2.95"	6.85"	8.15"	35.7 Lbs

5010-54 — Air / Hydraulic Bottle Jacks — 20 T



AME-14460
Titan 20 Ton Air / Hydraulic Bottle Jack • Chrome Ram and Aluminum Air Motor for Long Life • Heavy Duty Return Springs • Each Unit is Factory Tested at 150% Overload

Code	Cap	Min H	Max H	L	W	Gross Wgt
AME-14460	20 T	9.7"	18.5"	13"	10"	38 Lbs
AME-14461	20 T	5.8"	10"	13"	5"	21 Lbs



AME-14461
Titan 20 Ton Low Profile Air / Hydraulic Bottle Jack • Cylinder is Welded to the Base, Assuring Strength and Eliminating Leaks • Chrome Pump Piston and Ram for Added Rust Resistance • Extension Screw Gives Added Height When Necessary • Meets ANS/ASME PALD and CE/GS Standards • Super Low Minimum Height for Easy Access



GT-G432020
Winntec 20 Ton Capacity Jack is Among the Toughest in the Market • Equipped With an Air Regulator to Ensure a Long Service Life • Chrome Ram, Welded Base and Return Springs



GT-G432021
Winntec Low Profile Jack With a 20 Ton Capacity • Includes a Welded Base to Prolong Service • Chrome Main Ram and Aluminum Air Motor to Guarantee Optimum Lifetime • Includes Air Filter and Air Regulator Connected to a Hose

Code	Cap	Min H	Max H	Wgt
GT-G432003	20 T	10"	18.5"	59.5 Lbs
GT-G432020	20 T	10"	18.5"	38 Lbs
GT-G432021	20 T	5.75"	10.31"	24.25 Lbs



GT-G432003
20T Gaither Air / Hydraulic Bottle Jack With Welded Base and Mounted to a Wheel Trolley • Features Chrome Main Ram and Aluminum Air Motor for Long Life • Air Filter Connected to Hose

5010-68 — Air / Hydraulic Aluminum Jacks — 55 T



AME-13081
55 Ton Deluxe Aluminum Jack • Includes Shut-Off Valve to Allow the Pump to be Removed While Ram is Extended • Aluminum Base Plate for Stability During Field Use • Extra Thick Aluminum Cylinder Walls Measure .80" (For Heavy Duty Use) • Advanced Piston Coating Resists Scarring for Longer Life • New Stop Ring Design Specifically for the Tire Industry Reduces Side Load Damage



AME-13120
55 Ton Lightweight Aluminum Jack for Easy Handling and Placing Under Vehicles • Includes Shut-Off Valve to Allow the Pump to be Removed While the Ram is Extended • Aluminum Base for Stability During Field Use



AME-13121
55 Ton Pro Series Jack • Lightweight Aluminum Lifting Cylinder for Easily Handling and Placing Under the Vehicle • Includes Shut-Off Valve to Allow the Pump to be Removed While the Ram is Extended • Aluminum Base Plate for Stability During Field Use • Recessed Base Plate Allows Jacks to Nest Inside • Low Profile Saddle Ensures Precise Lifting



AME-13140
55 Ton Heavy Duty Series • Lightweight Aluminum for Easily Handling and Placing Under the Vehicle • Includes Shut-Off Valve to Allow the Pump to be Removed While the Ram is Extended • Aluminum Base Plate for Stability During Field Use

Code	Cap	Min H	Max H	Stroke	Gross Wgt
AME-13081	55 T	12.25"	18.25"	6"	24.5 Lbs
AME-13120	55 T	12.25"	18.25"	6"	29 Lbs
AME-13121	55 T	11.75"	17.75"	6"	29 Lbs
AME-13140	55 T	16.25"	26.25"	10"	38 Lbs

5010-80 — Air / Hydraulic Aluminum Jacks — 100 T



AME-13000

100 Ton Aluminum Jack • Includes Shut-Off Valve to Allow the Pump to be Removed While the Ram is Extended

Code	Cap	Min H	Max H	Stroke	Gross Wgt
AME-13000	100 T	12"	18"	6"	53 Lbs



5020-02 — Hydraulic Floor Jack — 1.3 T



AC Hydraulic High Lifter With Long Reach • Ideal For Cars With Low Clearance • Very Low Minimum Height of Only 3" • Wide and Robust Frame Made of High-Strength Steel • Fitted With Quick-Lift Pedal for Easy Reach of Lifting Point • Precise and Safe Control While Lowering • Manual Dead Man's Release for Optimum Safety When Lowering • Built-In Safety Overload Valve • Noiseless Wheels Incorporating a Polyurethane Central O-Ring Offers Maximum Surface Protection • Ergonomically Designed Handle Ensuring Positive and Safe Operation

Code	Cap	Min H	Max H	Frame L	Handle L	Frame H	W	Wgt
AC-DK13HLQ	1.3 T	3"	29"	37"	37-3/8"	6-1/4"	19"	86 Lbs

See Sections 5020-90 and 5020-92 for Accessories

5020-04 — Hydraulic Floor Jack — 2 T



Wintec 2 Ton Compact Turbo Lift Jack • Built With Quality Materials and Loaded With Features to Increase Durability and Efficiency • Pump Pistons are Placed at a 45° Angle so a Complete Pumping Stroke Will Always be Utilized • Professional Universal Joint Release Valve Makes it Possible to Lower the Jack Precisely and Safely • Equipped With a Handle Protector

Code	Cap	Min H	Max H	L	W	Gross Wgt
GT-G420250	2 T	2.95"	20.08"	27.01"	13.5"	74.96 Lbs

5020-05 — Hydraulic Floor Jacks — 2.25 T

cont'd on next page



AC-DK20 / AC-DK20Q

AC Hydraulic Floor Jack for Passenger Cars and Vans • Very Low Minimum Height of Only 3" • Wide and Robust Frame Made of High-Strength Steel • Precise and Safe Control While Lowering • Manual Dead Man's Release for Optimum Safety When Lowering • Built-In Safety Overload Valve • Noiseless Wheels Incorporating a Polyurethane Central O-Ring Offers Maximum Surface Protection • Ergonomically Designed Handle Ensuring Positive and Safe Operation

AC-DK20Q — Fitted With Quick-Lift Pedal for Easy Reach of Lifting Point

AC-DK20HLQ

AC Hydraulic High Lifting Floor Jack • Ideal for SUVs and Vans • Very Low Minimum Height of Only 3" • Wide and Robust Frame Made of High-Strength Steel • Fitted With Quick-Lift Pedal for Easy Reach of Lifting Point • Precise and Safe Control While Lowering • Manual Dead Man's Release for Optimum Safety When Lowering • Built-In Safety Overload Valve • Noiseless Wheels Incorporating a Polyurethane Central O-Ring Offers Maximum Surface Protection • Ergonomically Designed Handle Ensuring Positive and Safe Operation

Code	Cap	Min H	Max H	Frame L	Handle L	Frame H	W	Wgt
AC-DK20	2.25 T	3"	19-1/2"	26"	37-3/8"	6-1/4"	16"	68 Lbs
AC-DK20Q	2.25 T	3"	19-1/2"	26"	37-3/8"	6-1/4"	16"	68 Lbs
AC-DK20HLQ	2.25 T	3"	31"	37-3/8"	37-3/8"	8-1/2"	19-1/2"	108 Lbs

See Sections 5020-90 and 5020-92 for Accessories

5020-05 — Hydraulic Floor Jacks — 2.25 T cont'd from previous page

Wintec 2.25 Ton Compact Turbo Lift Jacks • Built With Quality Materials and Loaded With Features to Increase Durability and Efficiency • Pump Pistons are Placed at a 45° Angle so a Complete Pumping Stroke Will Always be Utilized • Professional Universal Joint Release Valve Makes it Possible to Lower the Jack Precisely and Safely • Equipped With a Handle Protector

Code	Cap	Min H	Max H	L	W	Gross Wgt
GT-G420225	2.25 T	3.54"	20.28"	33.46"	15.75"	123.4 Lbs



5020-06 — Hydraulic Floor Jack — 2.5 T

Wintec 2.5 Ton Compact Turbo Lift Jacks • Built With Quality Materials and Loaded With Features to Increase Durability and Efficiency • Pump Pistons are Placed at a 45° Angle so a Complete Pumping Stroke Will Always be Utilized • Professional Universal Joint Release Valve Makes it Possible to Lower the Jack Precisely and Safely • Equipped With a Handle Protector

Code	Cap	Min H	Max H	L	W	Gross Wgt
GT-G422500	2.5 T	3.35"	18.31"	30.71"	15.35"	106.9 Lbs



5020-08 — Hydraulic Floor Jacks — 3 T

Wintec 3 Ton Garage Jacks • Built With Quality Materials and Loaded With Features to Increase Durability and Efficiency • Pump Pistons are Placed at a 45° Angle so a Complete Pumping Stroke Will Always be Utilized • Professional Universal Joint Release Valve Makes it Possible to Lower the Jack Precisely and Safely • Equipped With a Handle Protector



GT-3.0

GT-G420300

GT-G420302

GT-G420303

GT-G420330

Code	Description	Cap	Min H	Max H	L	W	Gross Wgt
GT-3.0	Double Piston Low Profile Floor Jack • Fast Reach Foot Pedal	3 T	3.75"	20"	32"	15"	95 Lbs
GT-G420300	Double Piston Floor Jack	3 T	4.15"	19.30"	31.30"	15.15"	110 Lbs
GT-G420302	Economy Floor Jack	3 T	5.12"	19.29"	28.35"	14.17"	90.3 Lbs
GT-G420303	Turbo Floor Jack	3 T	5.12"	19.29"	31.30"	15.16"	94.7 Lbs
GT-G420330	Turbo Lift Floor Jack	3 T	4.72"	17.72"	24.33"	13.54"	74.96 Lbs

5020-11 — Hydraulic Floor Jacks — 5 T



High Lifting Jack For Trucks, Agricultural Machinery and Contractors' Machines • Low Minimum Height of 5.5" • Can Be Fitted With Pneumatic Tyres for Easy Manoeuvring (Optional) • Wide Robust Frame Made of High-Strength Steel Fitted With Quick-Lift Pedal for Easy Reach of Lifting Point • Precise and Safe Control While Lowering • Manual Dead Man's Release for Optimum Safety When Lowering • Built-In Safety Overload Valve • Ergonomically Designed Handle

Code	Cap	Min H	Max H	Frame L	Handle L	Width	Gross Wgt
AC-DK50HLQ	5 T	5.5"	38.38"	50.78"	47.24"	20.66"	374.78 Lbs

5020-58 — Air / Hydraulic Floor Jacks — 22 T



Titan 22 Ton Air / Hydraulic Service Jack • Easy To Maneuver • Single Piece Handle Will Not Break • Extension Saddles Include: 1 of Each, 1", 2", and 4" • Operates With Only 80 PSI of Air Pressure

Code	Cap	Min H	Max H	Stroke L	Gross Wgt
AME-14140	22 T	8.27"	20.67"	6"	110 Lbs

5020-60 — Air / Hydraulic Floor Jack — 24 T



Winntec Single Stage Air Service Jack • Delivers 24 Tons of Lifting Power • Designed to Meet and Exceed the Expectations of a Quality Jack at a Very Competitive Price • Comes Equipped With an Extension Screw, Individual Extension Pegs, and Heavy Duty Wheels Designed for Daily Use

Code	Cap	Min H	Max H	Hyd Stroke	Ext Screw	L	W	Gross Wgt
GT-G432024	24 T	8.46"	17.36"	5.55"	3.35"	20.67"	10.43"	92.59 Lbs



5020-63 — Air / Hydraulic Floor Jack — 25/10 T

AC Hydraulic Versatile 2-Stage Air / Hydraulic Jack for Buses and Trucks • Designed for Heavy-Duty, Intensive Commercial Use • Hard Chromium Plated Piston Rod for Long Life • Built-In Safety Overload Valve • Hand-Operated Dead Man's Control for Optimum Safety While Lifting and Lowering

Code	Cap	Min H	Max H	Frame L	Handle L	W	W With Wheels	Air Supply	Air Consumption	Gross Wgt
AC-25-2	25/10 T	7"	10-3/4"/15"	30"	53"	6"	12"	9-12 Bar	13-1/2 L/min	132 Lbs



5020-64 — Air / Hydraulic Portable Floor Jack — 27.5 / 11 T

AC Hydraulic Versatile 2-Stage Air / Hydraulic Jack for Buses and Trucks • Designed for Heavy-Duty, Intensive Commercial Use • Hard Chromium Plated Piston Rod for Long Life • Built-In Safety Overload Valve • Hand-Operated Dead Man's Control for Optimum Safety While Lifting and Lowering

Code	Cap	Min H	Max H	Frame L	Handle L	W	W With Wheels	Air Supply	Air Consumption	Gross Wgt
AC-B25-2	27.5/11 T	6-1/4"	9-1/4"/12-1/2"	21"	21-1/2"	9"	11-3/8"	9-12 Bar	13-1/2 L/min	62 Lbs



5020-66 — Air / Hydraulic Floor Jack — 35 T

Gaither Air / Hydraulic Floor Jacks are Rigorously Tested and Constructed to Withstand Heavy Daily Use • Designed for 30,000 Minimum Lift Cycles • Built-In Water Separator • Long, One-Piece Handle for Durability, Safety, and Easy Maneuvering

Code	Cap	Min H	Max H	Working Air Pressure	Wgt
GT-3531	35 T	7.25"	16.69"	115-205 PSI	93 Lbs
GT-3531AG	35 T	14.17"	35.83"	115-205 PSI	154 Lbs



5020-71 — Air / Hydraulic Floor Jack — 45/20 T

Gaither Air / Hydraulic Floor Jacks are Rigorously Tested and Constructed to Withstand Heavy Daily Use • Designed for 30,000 Minimum Lift Cycles • Built-In Water Separator • Long, One-Piece Handle for Durability, Safety, and Easy Maneuvering

Code	Cap	Min H	Max H	Working Air Pressure	Wgt
GT-4532	45/20 T	5.9"	16.53"	115-205 PSI	99 Lbs



5020-73 — Air / Hydraulic Floor Jack — 50/25 T



AC Hydraulic 2-Stage Air / Hydraulic Jack for Heavy Buses and Trucks • Designed for Heavy-Duty, Intensive Commercial Use • Hard Chromium Plated Piston Rod for Long Life • Built-In Safety Overload Valve • Hand-Operated Dead Man's Control for Optimum Safety While Lifting and Lowering

Code	Cap	Min H	Max H	Frame L	Handle L	W	W With Wheels	Air Supply	Air Consumption	Gross Wgt
AC-50-2	50/25 T	8-1/2"	13"/17-1/2"	32"	53"	8"	12"	9-12 Bar	13-1/2 L/min	176 Lbs

5020-80 — Forklift Jack — 4 T



AC Hydraulic Air / Hydraulic Forklift Jack • 4 Ton on the Scissors and 5 Ton on the Cylinder • Scissors Have a Low Height of 2.16" and Maximum Height of 17.9" • Cylinder has a Low Height of 16.14" and a Maximum Height of 28.75" • Foldable Which Makes it Convenient for Service Trucks • Wide and Robust Frame Made of High-Strength Steel • Built-In Safety Overload Valve

Code	Cap	Min H	Max H	Wgt
AC-FJ40	4 T	2.25"	16"	69 Lbs



Winntec 4 / 5 Ton Forklift / Tractor Floor Jack • Implements 2 Lifting Points • The Low Saddle is for 4 Ton Forklift Applications With a Minimum Height of 2.56" and a Maximum Height of 16.34" • The High Saddle is for 5 Ton Tractor Applications With a Minimum Height of 16.54" and a Maximum Height of 30.12"

Code	Cap	Min H	Max H	L	W	Wgt
GT-G454000	4 / 5 T	2.56" / 16.53"	16.33" / 30.11"	31.10"	9.44"	104 Lbs



AME 4 Ton Lightweight Forklift Jack • Features Specially Designed Seals • Strong Steel Construction With Low Pickup Height

Code	Cap S/C	Min H S/C	Max H S/C	Frame L	Handle L	W	Wgt
AME-14350	4/5 T	2.16"/16.14"	17.91"/28.7"	31.88"	32.67"	9.84"	95 Lbs

S = Scissor C = Cylinder

5020-82 — Forklift Jack — 7.5 T

AME-14370

AME 7.5 Ton Forklift Jack • 2.25" Low Clearance • Lift Height 16.6" • Rugged Steel Wheels Allow for Easy Transport

Code	Cap	Min H	Max H	Wgt
AME-14370	7.5 T	2.25"	16.6"	99 Lbs



5020-90 — Accessories

AC-GS1

Rubber Cushion for Protection of the Car Body • Fits: AC-DK Series, Jacking Beams and Transmission Jacks

This Accessory Is Used With Jacks Shown in Sections 5020-02 and 5020-05



5020-91 — Handle Grip Protectors

TC8000

Jack Handle Grip / Protector • Black • Made of Durable Synthetic Rubber



TC8775

Yellow Jack Handle Grip / Protector • Made of Durable Synthetic Rubber



5020-92 — Extensions



4401600

2" Floor Jack Extension



4401700

4" Floor Jack Extension



AC-F100

4" Extension for AC Jacks • Used for Models DK20, DK20Q, DK13HLQ, DK20HLQ



AC-FW

6" Jack Saddle • Suitable for Lifting Under Bolts, Differential Gear, etc. • Fits: AC-B25-2, AC-25-1H, AC-25-2, AC-50-2, AC-50-3

These Accessories Are Used With Jacks Shown in Sections 5020-02 and 5020-05

5050-10 — Jack Stands — Pinned

AC Hydraulic Standard Axle Stands • Suitable for All Types of Vehicles, i.e. Passenger Cars, Trucks, Buses, Agricultural and Contractors' Machinery • Adjustable in Several Heights • (5 Positions) • Robust Construction Ensures Maximum Stability and Long Life

AC-AB15-260



AC-AB3-320



AC-AB5-365



Code	Cap	Min H	Max H	W (C)	Positions	Wgt
AC-AB15-260	1.5 T	10"	17-1/2"	10-1/2"	5	5 Lbs
AC-AB3-320	3 T	12-1/2"	17"	12"	5	7 Lbs
AC-AB5-365	5 T	14-3/8"	23"	14-1/2"	5	11 Lbs

AME-14360



Ideal for Forklift Trucks • Sturdy, Welded Steel Construction • Heavy Gauge Steel Frame Prevents Distortion or Twisting • Sold in Pairs

AME-14400



Sturdy, Welded Steel Construction for Superior Safety and Strength • Heavy Gauge, Steel Frame Helps Prevent Distortion or Twisting • Sold in Pairs

AME-14405



3 Lock Pin Settings for Adjustable Heights • Certified to 150% of Stated Capacity • Adjustable Swivel Allows for 2" of Variance at Locked Settings • Sold in Pairs

AME-14720



Flat Top Rubber Pad Grips the Lifting Point • Ideal for Low Profile Vehicles or Custom Cars • Powder Coat Finish on Base • Zinc Plated Post to Prevent Rust • Sold in Pairs

AME-14980



European Design • Accommodates Truck Axles, Forklifts and Trailers • 5 Pin Placements • Anodized Finish • Sold in Pairs

GT-G451205



Winntec 12 Ton Capacity Jack Stand • Welded Steel Construction for Superior Safety and Strength • Nylon Wheels and a Removable Handle Ensure Quick and Safe Positioning Under Most Vehicles • Comes Equipped With a Handle Holder for Vertical Storage While Not in Use • Sold in Pairs

Code	Cap	Min H	Max H	Wgt
AME-14360	4.5 T / Stand	9.5"	16.5"	25 Lbs
AME-14400	40 T / Stand	12"	20"	72 Lbs
AME-14405	20 T / Stand	10"	21.9"	70 Lbs
AME-14720	5 T / Stand	13"	21.5"	34 Lbs
AME-14980	3 T / Stand	13"	21.5"	12 Lbs
GT-G451205	12 T / Stand	11.8"	18"	46 Lbs

5050-12 — Jack Stands — Ratchet

Winntec 3 Ton Standard Jack Stand • Heavy-Duty Robot Welded Frame • Multi-Position Ductile Ratchet Bar • Quick Adjustment Mechanism Allows the User to Securely Lock the Stand Into the Right Location • Includes Counter-Weighted Pawls for Safe Securing • Sold in Pairs

Code	Cap	Min H	Max H	L	W	Wgt
GT-Y450301	3 T / Stand	10.55"	16.73"	7.48"	6.69"	16.5 Lbs



5050-14 — Jack Stands — Screw

AME-14410 and AME-14415

AME 20 Ton Heavy Duty OTR Screw Style Jack Stands Makes it Easy to Hold a Load at Desired Height Secured With Locking Collar • Adjustable Screw for Height Extension and Retraction • Sold in Pairs



AC-ABS-12-320

AC Hydraulic User Friendly Axle Stand With Spindle Extension • Spindle Extension Offers a Quick and Precise Adjustment of the Height • Suitable for All Types of Vehicles • Robust Construction Ensures Maximum Stability and Long Life

Code	Cap	Min H	Max H	Wgt
AME-14410	20 T / Stand	16.5"	26.7"	60 Lbs
AME-14415	20 T / Stand	26"	46"	87 Lbs
AC-ABS-12-320	12 T	12-1/2"	19"	24 Lbs



5050-20 — Cribbing Block Sets cont'd on next page

AME Cribbing Blocks are Certified and Tested • Multiple Sizes and Shapes • Interlocking or Aggressive Non-Slip Surface • Non-Conducting Plastic Resists Oil and Most Chemicals • Does Not Splinter Like Wood • Made From 100% Recycled Plastic

Code	Description	Includes	Lanyard Colour
AME-15252	7 Piece Super Stacker Cribbing Set	(3) AME-15210 (3) AME-15230 (1) AME-14465	Yellow Blue N/A
AME-15254	25 Piece Industrial Cribbing Set	(24) AME-15230 (1) AME-14468	Blue N/A
AME-15254P	25 Piece Industrial Primo Cribbing Set	(24) AME-15239 (1) AME-14468	Orange N/A
AME-15255	10 Piece Industrial Cribbing Set	(3) AME-15210 (6) AME-15230 (1) AME-14465	Blue Yellow N/A
AME-15257	28 Piece Industrial Cribbing Set	(27) AME-15230 (1) AME-14468	Blue N/A
AME-15260	12 Piece Industrial Cribbing Set	(12) AME-15230	Blue
AME-15260P	12 Piece Industrial Primo Cribbing Set	(12) AME-15239	Orange
AME-15262	Industrial Cribbing Set	(12) AME-15230 (1) AME-14466	Blue N/A
AME-15662	42 Piece Industrial Cribbing Set • Black	(42) AME-15230	Blue

SET COMPONENTS


Cribbing Blocks	Jack Plates
AME-15210	AME-14465
AME-15230	AME-14466
AME-15239	AME-14468

5050-20 — Cribbing Block Sets cont'd on next page



AME Cribbing Blocks are Certified and Tested • Multiple Sizes and Shapes • Interlocking or Aggressive Non-Slip Surface • Non-Conducting Plastic Resists Oil and Most Chemicals • Does Not Splinter Like Wood • Made From 100% Recycled Plastic

SET COMPONENTS



Code	Description	Includes	Lanyard Colour
AME-15266PL	13 Piece Industrial Primo Cribbing Set	(12) AME-15239 (1) AME-14468LT	Orange N/A
AME-15660	24 Piece Super Stacker Industrial Cribbing Set	(24) AME-15230	Blue
AME-15661	30 Piece Super Stacker Industrial Cribbing Set	(30) AME-15230	Blue



Code	Description	Size	Lanyard Colour
PR-TFK	8 Piece Toyota Forklift Cribbing Kit	(6) 15210 (2) 15234	Blue

5050-25 — Cribbing Blocks



AME Cribbing Blocks are Certified and Tested • Available in Multiple Sizes and Shapes • Interlocking or Aggressive Non-Slip Surface • Non-Conducting Plastic Resists Oil and Most Chemicals • Does Not Splinter Like Wood • Made From 100% Recycled Plastic



Code	Description	Size	Lanyard Colour
AME-15200	Industrial Cribbing Block • Black	2" x 4" x 18"	N/A
AME-15203	Industrial Cribbing Block	4" x 4" x 30"	Orange
AME-15210	Super Stacker Industrial Cribbing Block • Black	4" x 4" x 18"	Yellow
AME-15230	Super Stacker Industrial Cribbing Block • Black	6" x 7" x 24"	Blue
AME-15231	Slab Super Cribbing Block • 300 Ton Rated	2" x 4" x 18"	Orange
AME-15232	Half Slab Super Cribbing Block • 300 Ton Rated	6" x 12" x 12"	Orange
AME-15234	Super Stacker Custom Crib Ramp • Black	6" x 7" x 24"	N/A
AME-15239	Primo Super Stacker Cribbing • Black	6" x 7" x 24"	Orange
AME-15245	Super Stacker Custom Cribbing Block • Black	6.5" x 7.25" x 10"	Orange
AME-15667	Sasquatch 45° Cribbing Block	24" x 8" x 20-3/4"	Yellow
AME-15668	Sasquatch 45° Cribbing Block	24" x 8" x 16-1/2"	Yellow
AME-15669	Sasquatch 45° Cribbing Block	24" x 8" x 10-3/8"	Yellow

5050-30 — Crib Stands



Heavy Duty Steel Crib Stands • Durable, Will Not Bend or Warp • Recessed Area on Cribbing Fits 7" Square Plate on 55 Ton Cylinders • Can be Stacked With Other AME Steel Crib Stands

Code	Description
AME-15002	3 Piece Heavy Duty Steel Crib Kit • Includes: 3", 6" and 9" High Stands • Will Not Slide • Use Individually or Stack Together
AME-15012	3" High Heavy Duty Steel Crib Stand • Durable, Will Not Bend or Warp • Recessed Area on Cribbing Fits 7" Square Plate on 55 Ton Cylinders • Can be Stacked With Other AME Steel Crib Stands
AME-15022	6" High Heavy Duty Steel Crib Stand • Durable, Will Not Bend or Warp • Recessed Area on Cribbing Fits 7" Square Plate on 55 Ton Cylinders • Can be Stacked With Other AME Steel Crib Stands
AME-15032	9" High Heavy Duty Steel Crib Stand • Durable, Will Not Bend or Warp • Recessed Area on Cribbing Fits 7" Square Plate on 55 Ton Cylinders • Can be Stacked With Other AME Steel Crib Stands



5050-40 — Jack Plates



Jack Plates Provide Greater Stability to Bottle Jacks and Hydraulic Rams • Lightweight and Easy to Handle • Each Unit Has a Non-Skid Surface to Prevent Jacks From Sliding Under Wet or Oily Conditions • Complies With OSHA Regulation 29 CFR 1926.305 • AME-14468LT is a Lock Top Jack Plate and Provides Greater Stability to Bottle Jacks, Hydraulic Rams, Jack Stands and Cribbing • AME-14500 is Part of the Grip-It Series of Cribbing — Non-Skid Jack Plate With Pyramid Surface • AME-14503 is Part of the Grip-It Series of Cribbing — Light Weight Non-Skid Bottom Locking Plate



Code	Cap	L	W	H	Wgt	Lanyard Colour
AME-14462	150 T	36"	36"	2.5"	118 Lbs	Black
AME-14463	200 T	36"	36"	3"	135 Lbs	Black
AME-14464	50 T	12"	12"	1"	5 Lbs	Orange
AME-14465	100 T	12"	12"	1.5"	8 Lbs	Yellow
AME-14468LT	100 T	24"	24"	2"	24 Lbs	Black
AME-14469	100 T	18"	18"	2"	20 Lbs	Yellow
AME-14472	50 T	18"	18"	1"	15 Lbs	Yellow
AME-14473	100 T	18"	18"	1.5"	16 Lbs	Yellow
AME-14489		10"	10"	3"		
AME-14500	100 T	12"	12"	2"	8.8 Lbs	Black
AME-14503	100 T	27"	24"	2"	38.4 Lbs	Black



DID YOU KNOW PREMA CARRIES A FULL LINE OF TIRE REPAIR EQUIPMENT AND SUPPLIES AND IS IN YOUR AREA?

An extensive line of brand name products, all competitively priced.

Part # — Page	Part # — Page	Part # — Page	Part # — Page
4401600 — 50-9	AME-14410 — 50-11	AME-15245 — 50-12	GT-G420330 — 50-5
4401700 — 50-9	AME-14415 — 50-11	AME-15252 — 50-11	GT-G422500 — 50-5
AC-25-2 — 50-7	AME-14460 — 50-2	AME-15254 — 50-11	GT-G432003 — 50-2
AC-50-2 — 50-8	AME-14461 — 50-2	AME-15254P — 50-11	GT-G432020 — 50-2
AC-AB3-320 — 50-10	AME-14462 — 50-13	AME-15255 — 50-11	GT-G432021 — 50-2
AC-AB5-365 — 50-10	AME-14463 — 50-13	AME-15257 — 50-11	GT-G432024 — 50-6
AC-AB15-260 — 50-10	AME-14464 — 50-13	AME-15260 — 50-11	GT-G451205 — 50-10
AC-ABS-12-320 — 50-11	AME-14465 — 50-13	AME-15260P — 50-11	GT-G454000 — 50-8
AC-B25-2 — 50-7	AME-14468LT — 50-13	AME-15262 — 50-11	GT-Y450301 — 50-11
AC-DK13HLQ — 50-4	AME-14469 — 50-13	AME-15266PL — 50-12	PR-TFK — 50-12
AC-DK20 — 50-4	AME-14472 — 50-13	AME-15660 — 50-12	TC8000 — 50-9
AC-DK20HLQ — 50-4	AME-14473 — 50-13	AME-15661 — 50-12	TC8775 — 50-9
AC-DK20Q — 50-4	AME-14489 — 50-13	AME-15662 — 50-11	
AC-DK50HLQ — 50-6	AME-14500 — 50-13	AME-15667 — 50-12	
AC-F100 — 50-9	AME-14503 — 50-13	AME-15668 — 50-12	
AC-FJ40 — 50-8	AME-14720 — 50-10	AME-15669 — 50-12	
AC-FW — 50-9	AME-14980 — 50-10	GT-3.0 — 50-5	
AC-GS1 — 50-9	AME-15002 — 50-13	GT-3531 — 50-7	
AME-13000 — 50-3	AME-15012 — 50-13	GT-3531AG — 50-7	
AME-13081 — 50-3	AME-15022 — 50-13	GT-4532 — 50-7	
AME-13120 — 50-3	AME-15032 — 50-13	GT-G411500 — 50-2	
AME-13121 — 50-3	AME-15200 — 50-12	GT-G412000 — 50-2	
AME-13140 — 50-3	AME-15203 — 50-12	GT-G412001 — 50-2	
AME-14140 — 50-6	AME-15210 — 50-12	GT-G413000 — 50-2	
AME-14350 — 50-8	AME-15230 — 50-12	GT-G420225 — 50-5	
AME-14360 — 50-10	AME-15231 — 50-12	GT-G420250 — 50-4	
AME-14370 — 50-9	AME-15232 — 50-12	GT-G420300 — 50-5	
AME-14400 — 50-10	AME-15234 — 50-12	GT-G420302 — 50-5	
AME-14405 — 50-10	AME-15239 — 50-12	GT-G420303 — 50-5	

C

- Cribbing**
 Cribbing Blocks: 50-12
 Cribbing Block Sets: 50-11, 50-12
 Crib Stands: 50-13

J

- Jacks**
 Bottle Jacks
 Air / Hydraulic Aluminum Jacks: 50-3
 Air / Hydraulic Bottle Jacks: 50-2
 Hydraulic Bottle Jacks: 50-2
 Floor Jacks
 Accessories: 50-9
 Air / Hydraulic Floor Jacks: 50-6, 50-7, 50-8
 Air / Hydraulic Portable Floor Jack: 50-7
 Extensions: 50-9
 Forklift Jack: 50-8, 50-9
 Handle Grip Protectors: 50-9
 Hydraulic Floor Jacks: 50-4, 50-5, 50-6
 Jack Plates: 50-13

- Jack Stands**
 Pinned: 50-10
 Ratchet: 50-11
 Screw: 50-11

Tire Repair Materials & Chemicals

- Radial Repairs
- Bias Repairs
- Agriculture Repairs
- OTR Repairs
- Tube Stems
- Universal Repairs
- Combi Patch/Plugs
- Pre-Buff Cleaners
- Vulcanizing Cements
- Over-Buff Sealers
- Bead Sealers

Lifting Tools

- Bottle Jacks
- Hydraulic Rams
- Lift Pads
- Floor Jacks
- Jack Stands
- Forklift Jacks
- Garage Jacks
- Bladder Jacks

Service Chemicals

- Mounting Compound
- Murphy's Liquid Lubricants
- Brake Cleaner
- Penetrants
- Universal Paste
- SKID
- Silicone Sprays
- Tire Sealant
- Tire Paint
- Tire Shine
- Winter Lubricants

Shop Supplies & Equipment

- Hand Cleaner
- Tire Bags
- Dunk Tanks
- Work Gloves
- Nitrile Gloves
- Seat Gloves
- Seat Covers
- Tire Carts
- Floor Mats

Tire Repair Tools

- Brushes
- Adaptors
- Reamers
- Probe Tools
- Scrapers
- Carbide Cutters
- Insert Tools
- Buffing Stones
- Tire Spreaders

Wheel Weights & Balancing Beads

- Passenger Weights
- Truck Weights
- 3M Balancing System
- Coloured Weights
- Zinc Weights
- Steel Weights
- Magnum Balancing Beads
- Counteract Balancing Beads

Wheel Balancing Tools

- Adhesive Wheel Weight Remover
- Wheel Weight Hammers
- Haweka Flange Plates
- Duo Collets
- Haweka Quick Plates
- Haweka Quick Nuts
- Replacement Shafts
- Cones

Air Tools & Accessories

- IR Impact Wrenches
- IR Replacement Parts
- CP Impact Wrenches
- CP Replacement Parts
- Tool Covers
- Sockets
- Ratchets
- 3M Abrasives
- Grinders
- Buffers
- Needle Scalars

Valves

- Passenger Truck
- OTR
- Air Liquid
- Super Large Bore
- Straight or Bent Caps & Cores
- Brass or Nickel Alcoa Valves
- Enki Valves
- 4-Way Tools
- Fishing Tools
- Double Seal Caps
- Installation Tools
- Grommets
- O-Rings

Wheel Service Tools & Equipment

- Bead Breakers
- Torque Wrenches
- Bead Blasters and Bazookas
- Hydraulic Pumps
- Fasteners (Nuts, Studs & Clamps)
- Tire Irons & Bead Hammers
- Calcium Pumps
- Wheel Guards
- Mount/Demount Tools
- Hydraulic Rams

Gauges & Air Controls

- Pencil Gauges
- Master Gauges
- Truck Gauges
- Inflation Gauges
- Calibratable Gauges
- Digital Gauges
- AI Liquid
- Chucks
- Nipples
- Couplers
- Bushings
- Crimpers
- Hoses
- Ferrules
- Manifolds
- Whip Hoses

TPMS

- EZ-Sensor
- Redi-Sensor
- OE Replacement Sensors
- Replacement Valves
- Scan Tools (w/OBD)
- Service Kits
- Torque Wrenches
- T-10 & T-20 Screw Drivers
- Core Tools

Retread

- Envelopes
- Rasps
- Grinding Stones
- Carbide Cutters
- Hub Lube
- Mold Release
- Rope Rubber
- Sprayers
- Blades
- Cement
- Cushion Rubber
- Poly Film
- Wicking Pads
- Staples

Section Repair

- Vulcanizers
- Cushion Rubber
- Cup Cutters
- Carbide Cutters
- Tire Stands
- HD Skivers
- Hand Tools
- Flex Shaft Buffers
- Rope Rubber
- Rasps
- Grinding Stones

Miscellaneous

- Tire Studs
- Stud Guns
- Jaw Covers
- Duckheads
- Plastic Inserts
- Brake Lathe Bits
- O-Rings
- Arctic O-Rings

Your Authorized Distributor

Prema Canada
 3230 Mainway - Unit 3, Burlington, ON L7M 1A5
 Toll Free: 1.800.268.6311
 Phone: 905.628.2303
 Fax: 905.628.3646
 Inquires: sales@premacanada.ca
 www.premacanada.ca

Distributor contact information also available at www.premacanada.ca