



# TIRE SERVICE

## Chemicals, Lubricants & Accessories



Mounting Lubricants and Accessories



Bead Sealer



Bead Breaker Chemicals



Tire and Rim Protection



Tire, Whitewall and Wheel Cleaners

## Tire and Wheel Service Solutions

Prema Canada is one of the largest distributors of tire and wheel service supplies and is a market leader in delivering a total supply solution to the tire industry in Canada. Founded in 1954 as Loomis Root Canada Ltd, the company has evolved from a small, regional automotive and retread supply distributor into a focused network of independent tire and wheel service supply Distributors servicing the entire country from coast to coast.

[www.premacanada.ca](http://www.premacanada.ca)

## Wherever You Are Coast to Coast



### **ALBERTA 8**

- Northern 2
- Edmonton 2
- Central 2
- Calgary 1
- Southern Alberta 1

### **ONTARIO 17**

- North Western 1
- North Eastern 1
- South Western 3
- Central 8
- Eastern 4

### **QUEBEC 6**

- Northern 1
- Gatineau 1
- Montreal 1
- Southshore 1
- Quebec City 2

### **SASKATCHEWAN 4**

- Northern 2
- Southern 2

### **BRITISH COLUMBIA 11**

- Northern 3
- Vancouver Island 2
- Lower Mainland 2
- Interior 4

### **ATLANTIC CANADA 5**

- New Brunswick 1
- Nova Scotia and PEI 2
- Newfoundland 2

### **MANITOBA 4**

- West 1
- East 3

## TABLE OF CONTENTS

	<i>Page</i>
4010 — Mounting Lubricants and Accessories .....	40-2
4020 — Bead Sealer .....	40-6
4040 — Bead Breaker Chemicals .....	40-6
4050 — Tire and Rim Protection .....	40-7
4060 — Tire, Whitewall and Wheel Cleaners .....	40-8



**PREMA**

**Tire and Wheel  
Service Solutions**

## 4010-10 — Mounting Pastes

Provides Excellent Lubricity for Mounting and Demounting Tires With Minimal Rim Slip



74



75N



2146



PEP-8

Code	Description	Size
74	Rema Universal Mounting Paste	10 Kg
75	Rema Universal Mounting Paste	3.5 Kg
75N	Rema Universal Mounting Paste Low Profile Bucket	3.5 Kg
2146	Murphy's White Mounting Paste	8 Lbs
PEP-8	Prema Universal Paste	8 Lbs
PEP-8N	Prema Universal Paste Low Profile Bucket	8 Lbs

## 4010-20 — Tire and Tube Mounting Compounds



2005



2180X



2280



2490



2727-25



2727HD-40

Code	Description	Size
2000M	Murphy's Tire and Tube Mounting Compound	8 Lbs
2005	Can be Used in its Concentrated Form or Diluted in Water (3-4 Parts Water, 1 Part Murphy's) • Amber Colour • Non-Toxic • Biodegradable • Moderate Rust Inhibition • Mild Citrus Odor • Contains No Phosphorus, Chlorine, Zinc or Petroleum • Non-Flammable	25 Lbs
2008		40 Lbs
2014		55 Gal
2178	Rema Concentrated Tire and Tube Mounting Compound for Mounting Tubeless Tires or Natural and Synthetic Tubes	8 Lbs
2180X		25 Lbs
2183		40 Lbs
2278	Rema Heavy Duty Concentrated Tire and Tube Mounting Compound for Mounting Tubeless Tires or Natural and Synthetic Tubes	8 Lbs
2280		25 Lbs
2282		40 Lbs
2490	Rema Super Heavy Duty OTR Tire Mounting/Packing Compound • Contains Rust Inhibitors • Will Not Separate or Liquefy • Extra Thick For Superior Bead Packing On OTR Tires	25 Lbs
2492		40 Lbs
2727-25	Premier Performance Tire and Tube Mounting Compound • Excellent Lubricant With Rust Inhibitors	25 Lbs
2727-40		40 Lbs
2727-8		8 Lbs
2727HD-8	Premier Performance Heavy Duty Tire and Tube Mounting Compound • Rust Inhibitors • Excellent Bead Pack	8 Lbs
2727HD-25		25 Lbs
2727HD-40		40 Lbs

### 4010-25 — Tire and Tube Mounting Compounds — Low Temperature

Code	Description	Size
1515-25	Premier Performance Low Temperature Gel Tire Mounting Compound • Does Not Change Viscosity in Warm or Cold Conditions • Will Hold a Gel Consistency Down to -25°	25 Lbs



### 4010-30 — Liquid Lubricants — Concentrated

Code	Description	Size
81511	Rema Concentrated Liquid Tire Lubricant	1 Gal
81515		5 Gal
81555		55 Gal
2222-1	Premier Performance Concentrated Liquid Rubber Mounting Lubricant • Economical • Mix Ratio 1:1 to 3:1 • Rust Inhibitor Added for Better Rim Protection	1 Gal
2222-5		5 Gal
2222-55		55 Gal
PTLC-1G	Prema Liquid Rubber Blue Concentrated Tire Lubricant • Mix Ratio 1:1 to 3:1 • Rust Inhibitor Added for Better Rim Protection	1 Gal
PTLC-5G		5 Gal
PTLC-55G		55 Gal



81515



2222-1



PTLC-1G

### 4010-35 — Liquid Lubricants — Ready To Use

Code	Description	Size
2020	Murphy's Liquid Tire and Tube Mounting Compound for Mounting Rubber Tires and Tubes • Ready to Use Liquid for Easy Application • Soap-Based • Easy to Clean Up • Non-Toxic • Rust Inhibitors	1 Gal
2022		55 Gal
2023		5 Gal
PTL-1G	Prema Liquid Blue Ready to Use Tire Lubricant	1 Gal



2023



PTL-1G



### 4010-40 — Graphite Lubricants



2480-25



4444-5

Code	Description	Size
2480-25	Black-Ice Tire Mount/Demount Lubricant • Protects Against Rust and Corrosion • Prevents Rim and Bead From Bonding	25 Lbs
4444-5	Premier Performance Black Slip Rim Rust Retardant and Tire Mounting Lubricant • Ideal for Aluminum and Steel Wheels and Rims	5 Lbs
4444-25		25 Lbs

### 4010-50 — Specialty Lubricants



2110



2054B



2121-8

Code	Description	Size
2110	Murphy's Non-Rust Rim-Kote • Corrosion Resistant Tire Mounting Lubricant • Can Also be Used as a Fifth Wheel Grease • Non-Water Dispersible • Stable From 10° to 110°F • No Objectionable Odor • No Phosphates • No Petroleum Oils • Low VOC	30 Lbs
2053B	Rema Super Slippery Bead Butter • Blue • Concentrated Mounting Liquid • Non-Toxic • No Petroleum Products • Can be Applied by Brush or Spray Bottle	1 Gal
2054B		5 Gal
2055B		55 Gal
2121-8	Premier Performance Panther Paste • Specially Formulated for Tire Mounting / Demounting on Commercial Truck and OTR Tires • Excellent Lubricity and Adhesion • Synthetic Based • Non-Petroleum • Forms a Great Seal Between Rim and Tire Bead	8 Lbs

### 4010-60 — Lubricant Brushes



971



2121-BR



73



73T



T401T



TI1506



TI6350

Code	Description
971	1-3/4" Angled Wooden Paste Brush • 7-3/4" Handle
2121-BR	Panther Paste Brush
73	Mounting Paste Brush • 45° 1" Brush Head
73T	2" Heavy Duty Universal Paste Application Brush • 11" Handle
T401T	Premium Lubricant Application Brush • 9" Handle
TI1506	Angled Lubricant Application Brush
TI6350	1-3/4" Truck Tire Paste Brush • 10" Wooden Handle

### 4010-62 — Lubricant Swabs

<i>Code</i>	<i>Description</i>
<b>964</b>	15" Cotton Tire Swab
<b>2-964</b>	14-1/2" Cotton Tire Swab
<b>2-965</b>	11-1/2" Cotton Tire Swab
<b>PTL-S</b>	11" Cotton Tire Swab



### 4010-65 — Lubricant Accessories

<i>Code</i>	<i>Description</i>
<b>75B</b>	Bracket for Mounting Paste Standard Pails for # 75
<b>PEP-BK</b>	Bracket for Mounting Paste Standard Pails for # PEP8
<b>PEP-BKN</b>	Bracket for Mounting Paste Lo-Profile Pails for # 75N and PEP-8N



### 4020-10 — Premium Bead Sealer



777



960F



PBS-32

Code	Description	Size
777	Premier Performance Bead Sealer Designed to Prevent Stubborn Bead Seepage Once Applied to Rim After it is Remounted • Flammable	32 oz
777-1		1 Gal
777-5		5 Gal
960F	Rema Premium Bead Sealer is Designed to Prevent Leaks Between Tire and Rim • Brush Cap • Flammable	32 oz
PBS-32	Prema Bead Sealer Provides a Seal Between the Bead Area of the Tire and Rim • Extremely Thick / Will Not Drip • Flammable	32 oz

### 4020-20 — Economy Bead Sealer



Code	Description	Size
KX-507F	Kex Bead Sealer • No Drip Formula • Flammable	32 oz

## 4040 — Bead Breaker Chemicals

### 4040-10 — Flammable Bead Breaker Chemicals



A490



B790-5G



PREM8253

Code	Description	Size
A490	SKID Bead Breaking Penetrant Loosens Tight Nuts, Bolts, Pins, Bearings, Slides and Tire Beads • Multi-Purpose Tool Penetrates, Lubricates, Cleans and Protects Most Metal Surfaces • Aerosol Can	16 oz
B790-1G	SKID Penetrating Lubricant • Time Saving Bead Breaker • Penetrates Deep Into Tight Spaces • Quickly Dissolves and Loosens Rust, Corrosion and Scale • Prevents Broken Parts • Removes Grease and Oil	1 Gal
B790-5G		5 Gal
B790-55G		55 Gal
PREM8153	Prema Rim Release • Makes Removing Tires From Rusted Rims Easier • Frees Stubborn Beads Without Special Tools or Equipment	3.78 L
PREM8253		18.9 L
PREM8353		205 L



### 4050-10 — Casing Conditioner / Rim Protector

Code	Description	Size
AG20	Lok-Air AirGuard Rim Protector is a Specially formulated Light Viscosity Fluid • Stops Rust Build Up • Provides a Protective Coating on Rims and Inner Liners • Will Not Cause a Repair to Peel • Assists in Cooling Tire Heat Build Up	20 L
AME-26160	Rim Plus Powder Tire and Wheel Conditioner • Dissolves Directly in Water • Reduces Heat Build-Up in OTR Tires • Provides Longer Tire Life and Rim Protection • 94% Less Weight • 99% Less Volume • 36 Lbs Per Case	6 Bags / 6 Lbs Each
AME-26161		12 Bags / 3 Lbs Each
TL20-40	Tire Life Reduces Bead Brittleness, Liner Oxidation and Controls Belt and Rim Rust • Improves Long term Air Retention • Helps the Tire to Run Cooler Which Increases Tread Life	20 oz



### 4050-20 — Tire Sealants

Code	Description	Size
119-0016	Amerseal Premium Heavy Duty Tire Sealant Prevents and Repairs Flat Tires • Seals Punctures up to 1/4" in Standard Tires and 3/4" in Heavy Ply Tires • Coats All Inner Surfaces of the Tire and Rim to Prevent All Forms of Air Loss	16 oz
119-0128		1 Gal
119-0640		5 Gal
1212-1G	Premier Performance Tire Sealant • Canadian Made • Holds Air Pressure • Enhances Casing Life • Promotes Retreadability	1 Gal
1212-45G		200 L
1212-5G		5 Gal
1212-1000L		1000 L
AME-26148	AME Super Pink Tire Sealant • Seals Punctures up to 1/4" • Lubricates Rim and Tire for Quick and Easy Removal • Eliminates Rust on Rims • Water Based for Easy Clean-Out • Will Not Freeze • Tires Run Cooler • Fibrous Liquid Maintains Tire Pressure by Stopping Rim and Vent Leaks	1 Gal
LA22/01	LA Lite 2020 Tire Sealant • Lighter Viscosity Mix for Smaller Tires, e.g. ATV, Golf Cart, etc. • Temperature Range 45° C to -38° C	1 Gal




### 4050-25 — Tire Sealants — Accessories

Code	Description
119-116	Plastic 1 Gallon Pump
119-516	5 Gallon Hand Pump
STXM44	5 Gallon Hand Pump



119-116



119-516



STXM44

**4060-10 — Tire Cleaners**



91044



3333-5



A144

<i>Code</i>	<i>Description</i>	<i>Size</i>
91044	Stoner Tire Shine • Professional Grade • No Wiping • No Mess • No Streaks	12 oz
3333-5	Premier Performance Tire Shine • Solvent Based Formula Goes on as a Clear Liquid and Dries on the Tire to a Vibrant Glossy Black Appearance. Can be Applied by Cloth, Sponge or Spray	5 Gal
A144	Stoners Whitewall Cleaner • Cleans to a Brilliant White • Will Not Pit Aluminum Rims	1 Gal

**4060-15 — Tire Cleaning Brushes**



SB1265B

<i>Code</i>	<i>Description</i>
SB1265B	9" Brass Bristle Tire Cleaning Brush



**Part # — Page                      Part # — Page                      Part # — Page                      Part # — Page**

2-964 — 40-5	2000M — 40-2	2490 — 40-2	KX-507F — 40-6
2-965 — 40-5	2005 — 40-2	2492 — 40-2	LA22/01 — 40-7
73 — 40-4	2008 — 40-2	2727-8 — 40-2	PBS-32 — 40-6
73T — 40-4	2014 — 40-2	2727-25 — 40-2	PEP-8 — 40-2
74 — 40-2	2020 — 40-3	2727-40 — 40-2	PEP-8N — 40-2
75 — 40-2	2022 — 40-3	2727HD-8 — 40-2	PEP-BK — 40-5
75B — 40-5	2023 — 40-3	2727HD-25 — 40-2	PEP-BKN — 40-5
75N — 40-2	2053B — 40-4	2727HD-40 — 40-2	PREM8153 — 40-6
119-0016 — 40-7	2054B — 40-4	3333-5 — 40-8	PREM8253 — 40-6
119-116 — 40-7	2055B — 40-4	4444-5 — 40-4	PREM8353 — 40-6
119-0128 — 40-7	2110 — 40-4	4444-25 — 40-4	PTL-1G — 40-3
119-516 — 40-7	2121-8 — 40-4	81511 — 40-3	PTLC-1G — 40-3
119-0640 — 40-7	2121-BR — 40-4	81515 — 40-3	PTLC-5G — 40-3
777 — 40-6	2146 — 40-2	81555 — 40-3	PTLC-55G — 40-3
777-1 — 40-6	2178 — 40-2	91044 — 40-8	PTL-S — 40-5
777-5 — 40-6	2180X — 40-2	A144 — 40-8	SB1265B — 40-8
960F — 40-6	2183 — 40-2	A490 — 40-6	STXM44 — 40-7
964 — 40-5	2222-1 — 40-3	AG20 — 40-7	T401T — 40-4
971 — 40-4	2222-5 — 40-3	AME-26148 — 40-7	Ti1506 — 40-4
1212-1G — 40-7	2222-55 — 40-3	AME-26160 — 40-7	Ti6350 — 40-4
1212-5G — 40-7	2278 — 40-2	AME-26161 — 40-7	TL20-40 — 40-7
1212-45G — 40-7	2280 — 40-2	B790-1G — 40-6	
1212-1000L — 40-7	2282 — 40-2	B790-5G — 40-6	
1515-25 — 40-3	2480-25 — 40-4	B790-55G — 40-6	

## B

### Bead Breaker Chemicals

Flammable Bead Breaker Chemicals: 40-6

### Bead Sealer

Economy Bead Sealer: 40-6

Premium Bead Sealer: 40-6

## M

### Mounting Lubricants and Accessories

Graphite Lubricants: 40-4

Liquid Lubricants — Concentrated: 40-3

Liquid Lubricants — Ready To Use: 40-3

Lubricant Accessories: 40-5

Lubricant Brushes: 40-4

Lubricant Swabs: 40-5

Mounting Pastes: 40-2

Specialty Lubricants: 40-4

Tire and Tube Mounting Compounds: 40-2

Tire and Tube Mounting Compounds — Low Temperature: 40-3

## T

### Tire and Rim Protection

Casing Conditioner / Rim Protector: 40-7

Tire Sealants: 40-7

Tire Sealants — Accessories: 40-7

### Tire, Whitewall and Wheel Cleaners

Tire Cleaners: 40-8

Tire Cleaning Brushes: 40-8



# DID YOU KNOW PREMA CARRIES A FULL LINE OF TIRE REPAIR EQUIPMENT AND SUPPLIES AND IS IN YOUR AREA?

An extensive line of brand name products, all competitively priced.

## **Tire Repair Materials & Chemicals**

Radial Repairs  
Bias Repairs  
Agriculture Repairs  
OTR Repairs  
Tube Stems  
Universal Repairs  
Combi Patch/Plugs  
Pre-Buff Cleaners  
Vulcanizing Cements  
Over-Buff Sealers  
Bead Sealers

## **Lifting Tools**

Bottle Jacks  
Hydraulic Rams  
Lift Pads  
Floor Jacks  
Jack Stands  
Forklift Jacks  
Garage Jacks  
Bladder Jacks

## **Service Chemicals**

Mounting Compound  
Murphy's Liquid Lubricants  
Brake Cleaner  
Penetrants  
Universal Paste  
SKID  
Silicone Sprays  
Tire Sealant  
Tire Paint  
Tire Shine  
Winter Lubricants

## **Shop Supplies & Equipment**

Hand Cleaner  
Tire Bags  
Dunk Tanks  
Work Gloves  
Nitrile Gloves  
Seat Gloves  
Seat Covers  
Tire Carts  
Floor Mats

## **Tire Repair Tools**

Brushes  
Adaptors  
Reamers  
Probe Tools  
Scrapers  
Carbide Cutters  
Insert Tools  
Buffing Stones  
Tire Spreaders

## **Wheel Weights & Balancing Beads**

Passenger Weights  
Truck Weights  
3M Balancing System  
Coloured Weights  
Zinc Weights  
Steel Weights  
Magnum Balancing Beads  
Counteract Balancing Beads

## **Wheel Balancing Tools**

Adhesive Wheel Weight Remover  
Wheel Weight Hammers  
Haweka Flange Plates  
Duo Collets  
Haweka Quick Plates  
Haweka Quick Nuts  
Replacement Shafts  
Cones

## **Air Tools & Accessories**

IR Impact Wrenches  
IR Replacement Parts  
CP Impact Wrenches  
CP Replacement Parts  
Tool Covers  
Sockets  
Ratchets  
3M Abrasives  
Grinders  
Buffers  
Needle Scalers

## **Valves**

Passenger  
Truck  
OTR  
Air Liquid  
Super Large Bore  
Straight or Bent Caps & Cores  
Brass or Nickel Alcoa Valves  
Enki Valves  
4-Way Tools  
Fishing Tools  
Double Seal Caps  
Installation Tools  
Grommets  
O-Rings

## **Wheel Service Tools & Equipment**

Bead Breakers  
Torque Wrenches  
Bead Blasters and Bazookas  
Hydraulic Pumps  
Fasteners (Nuts, Studs & Clamps)  
Tire Irons & Bead Hammers  
Calcium Pumps  
Wheel Guards  
Mount/Demount Tools  
Hydraulic Rams

## **Gauges & Air Controls**

Pencil Gauges  
Master Gauges  
Truck Gauges  
Inflation Gauges  
Calibratable Gauges  
Digital Gauges  
AI Liquid  
Chucks  
Nipples  
Couplers  
Bushings  
Crimpers  
Hoses  
Ferrules  
Manifolds  
Whip Hoses

## **TPMS**

EZ-Sensor  
Redi-Sensor  
OE Replacement  
Sensors  
Replacement Valves  
Scan Tools (w/OBD)  
Service Kits  
Torque Wrenches  
T-10 & T-20 Screw  
Drivers  
Core Tools

## **Retread**

Envelopes  
Rasps  
Grinding Stones  
Carbide Cutters  
Hub Lube  
Mold Release  
Rope Rubber  
Sprayers  
Blades  
Cement  
Cushion Rubber  
Poly Film  
Wicking Pads  
Staples

## **Section Repair**

Vulcanizers  
Cushion Rubber  
Cup Cutters  
Carbide Cutters  
Tire Stands  
HD Skivers  
Hand Tools  
Flex Shaft Buffers  
Rope Rubber  
Rasps  
Grinding Stones

## **Miscellaneous**

Tire Studs  
Stud Guns  
Jaw Covers  
Duckheads  
Plastic Inserts  
Brake Lathe Bits  
O-Rings  
Arctic O-Rings

## Your Authorized Distributor

### **Prema Canada**

3230 Mainway - Unit 3, Burlington, ON L7M 1A5  
Toll Free: 1.800.268.6311  
Phone: 905.628.2303  
Fax: 905.628.3646  
Inquires: [sales@premacanada.ca](mailto:sales@premacanada.ca)  
[www.premacanada.ca](http://www.premacanada.ca)